

#### **International Car Bridge FZE**

RAK Free Trade Zone, Island Street, P.O. Box 40503, Ras Al Khaimah RAK, United Arab Emirates (UAE), Tel: +971/50/7 13 13 07,Fax: (0)7/204 10 10 Contact in Germany: Volker Risse, Hofstr. 5, 53557 Bad Hönningen, Germany Tel: +49/(0)2635/30 689 30, Fax: 30 689 64, Mobil: (0)172/65 39 555 email: info@icbdubai.com, Webpage: www.icbdubai.com

#### **Toyota Land Cruiser LC70 HZJ Diesel Model 2020**

Model LC76 SEMI-LWB 4.2 LITRE DIESEL 6 CYLINDER 1HZ ENGINE 5-Seater

Katashiki HZJ76L-RKMRS

Model 2020

*	TIRE BRAND	А		UNSPECIFIED
T1B	BATTERY	С		80D26R
G4A	TIRE AND DISC WHEEL	Q	*	265/70R16C 7JJ ALUMI L/TUBE
G2A	SUSPENSION	В		COIL/LEAF STANDARD
E2B	REAR DIFFERENTIAL	G		4.300 4P
G2K	FREE WHEEL HUB	I		WITHOUT
D3C	AIR CLEANER	D	*	CYCRON+SCHNORCKEL
L1A	TARPAULIN/HARD TOP	I		WITHOUT
J3A	WINDSHIELD GLASS	В		GREEN LAMINATED
N6F	DOOR POCKET	I		WITHOUT
K1C	REAR BUMPER	М		STD BLACK PAINTED + RR REFLECTOR
A4C	BODY STRIPE	I		WITHOUT
L2B	POWER DOOR LOCK	В	*	WITH INTERLOCKED D SEAT
A2K	WINCH	I		WITHOUT
K6A	BRAND NAME MARK	I		WITHOUT
J3L	REAR GLASS	I		WITHOUT
D6L	AUXILIARY FUEL TANK	I		WITHOUT
D6F	FUEL TANK CAPACITY	Р		130L C TYPE ON FRAME
G4H	SPARE WHEEL COVER	I		WITHOUT
J1F	FRONT DOOR	В		FIXED W/O TRIANGLE WINDOW
P1F	GLOVE BOX	С		W/O KEY
L6K	FRONT FOG AND DRIVING LAMP	I		WITHOUT
B2B	GRADE PACKAGE	1		WITHOUT
T3A	SPEEDOMETER	В		LOW GRADE KM/H
T3M	CLOCK	В	*	WITH
T2B	WIRE HARNESS FOR TRAILER	I		WITHOUT
R1A	FRONT SEAT	С	*	SEPARATE SEAT, ARM REST IN MIDDLE
P3A	HEATER	С	*	FR(AL CORE 36MM)
R1B	REAR SEAT	В		FOR FRONT
N6A	CUP HOLDER	D		FR BOTL HOLDER
L2G	POWER WINDOW	В	*	WITH(D ONE TOUCH DOWN ONL
G1B	STEERING WHEEL	D		4 SPOKE URETHANE D390

		i	
REAR SEAT BELT	С		ELR 3-2-3
OUTSIDE REAR VIEW MIRROR	С		DOOR D,P ROUND W, E MARK
WASHER FLUID	В		WITH
AUDIO(OVERSEAS MARKET)	W	*	AM/FM CD USB 2SP Y
COLD AREA PACKAGE	I		WITHOUT
ENGINE COOLANT	С		LLC 30%
EMISSION ID PLATE	N		DESTINATION EXCEPT JAPAN
EXPORT	Υ		ETHIOPIA
REAR WINDOW DEFOGGER	ĺ		WITHOUT
SEAT MATERIAL	В		VINYL LEATHER
TRANSFER	В		BF1B DIRECT
SIDE DEFROSTER	ĺ		WITHOUT
WATER TEMPERATURE GAUGE	С	*	WIDE TYPE
TOWING HOOK	М	*	FR CLOSED B 1+RR PINTRE 1
REAR QUARTER GLASS	D		SWING
INTERMITTENT WIPER	1		WITHOUT
REAR WINDOW WIPER	1		WITHOUT
ROOF RACK	1		WITHOUT
MUD GUARDS	L	*	FOR OVER FENDER(FR+RR)ADR
FIRE EXTINGUISHER			WITHOUT
HIGH ALTITUDE COMPENSATOR	В	*	WITH
AIR CONDITIONER	В	*	WITH
SPARE WHEEL CARRIER	F	*	BACK DOOR PUTSIDE + LOCK
PRODUCTION SEGMENT	<u>.</u> Р		SEG P
MODEL YEAR	<u>'</u>		WITHOUT
OWNERS MANUAL	 F	*	DUAL
HIGH MOUNT STOP LAMP	В	*	WITH
REGULATION COMPLIANCE LABEL	<u> </u>		GENERAL NAME PLATE
CKD PACKAGE	<u>E</u>		WITHOUT
	' E		WRAP GUARD
BODY PROTECTION FILM HEADLAMP LEVELING	<u>E</u>		WITHOUT
	<u>'</u> 		
BACK (OUTSIDE) BUZZER		*	WITHOUT
MODEL SYMBOL MARK	В	-	WITH
FUEL HEATER	1	*	WITHOUT
AIR BAG SYSTEM	C	*	WITH(D+P)
ABS	B	*	WITH (ACT DRY)
AIR-BAG CAUTION LABEL	С	*	ENGLISH +FRENCH
ACCESSORY CONNECTOR	<u> </u>	*	WITHOUT
WIRELESS DOOR LOCK	В	*	WITH
ANTENNA	В	*	WITH(MANUAL)
FRONT GRILLE	B .		MATERIAL COLOR
BATTERY CAUTION LABEL	<u> </u>		WITHOUT
GRADE MARK	<u> </u>		WITHOUT
SUN VISOR	B		STANDARD
DOOR TRIM	В		FOR STD
FLOOR CARPET AND MAT	<u>D</u>		VINYL+SILENCER(FR+CTR+RR)
FRONT HEADREST	В		D+P SMALL VINYL
STABILIZER	В		FR ONLY
FRONT DIFFERENTIAL	С		4.300 2P
FRONT BUMPER	E	*	EXTENSION 136MM MOLDING
DISPLACEMENT MARK	ı		WITHOUT
LICENSE PLATE LAMP	В		STANDARD TYPE
TRANSMISSION PROTECTOR	I		WITHOUT
ANTI-THEFT SYSTEM	I		WITHOUT
SIDE AND RR STEP	В		ALUMINUM
REAR WINDOW MOULDING	I		WITHOUT

D6A	FUEL PUMP	D	*	VE STANDARD + ACS
T3C	TACHOMETER	l		WITHOUT
тзк	VOLTAGE METER	В		WARNING LAMP
T3L	OIL PRESSURE METER	В		WARNING LAMP
N2D	DOOR ARM REST	E	*	FR+RR LARGE TYPE
P2C	REAR CONSOLE BOX	В	*	WITH
R2A	FRONT SEAT SLIDE	F	*	D:195MM P:195MM(SEPARATE)
R2J	WALK-IN SYSTEM	l		WITHOUT
R2S	SEAT BACK POCKET	l		WITHOUT
R4A	FRONT SEAT BELT	С	*	ELR3-3(SEPARATE)
J4K	WHEEL HOUSE COVER	В		WITH(VINYL)
L2F	DOOR INSIDE HANDLE	D		DR 1, PA 1, RR 2
N1B	ASSIST GRIP	G	*	FR 3+ RR 4
N2K	QUARTER TRIM	В		BOAD+PVC
P1G	ASH TRAY	С		FR 1(W/LAMP) + RR 2
R1K	REAR HEADREST	В		2 SMALL(VINYL)
T1J	STARTER	D		R-2.5KW
E1K	4WD TRANSFER LEVER AND KNOB	С		4 POSITION
A5C	L.S.P.V. MARKING LABEL	l		WITHOUT
A6J	FUEL CONSUMPTION PER. LABEL	l		WITHOUT
L7A	REAR COMBINATION LAMP	С		FOR 4DOOR VAN (ON RR BUMP
L7E	REAR FOG LAMP			WITHOUT
L8B	INSIDE REAR VIEW MIRROR	В		DAY&NIGHT(GENERAL)
J1L	OVER FENDER	В	*	WITH
N6K	INSTRUMENT PANEL UPPER TRAY		*	WITHOUT
P1J	INSTRUMENT PANEL ASSIST GRIP	<u>.</u> 	*	WITHOUT
A2D	TOOL(FACTORY INSTALLATION)	В		OVERSEA BASIC SET
A3D	FLARE AND FLASHLIGHT			WITHOUT
A4A	BLACK OUT	l		WITHOUT
A4B	BODY COLOR	В		MONOTONE
A5B	ENGINE SERVICE INFO. LABEL	С		DIESEL
A5B A5F	ENGINE SERVICE INFO. LABEL  EMISSION	C		DIESEL EURO2
A5F	EMISSION	I		EURO2
A5F A5M	EMISSION FUEL CAUTION LABEL	<b>I</b>		EURO2 WITHOUT
A5F A5M A5R	EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER	I I		EURO2 WITHOUT WITHOUT
A5F A5M A5R B3D	EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR			EURO2 WITHOUT WITHOUT WITHOUT
A5F A5M A5R B3D B3E	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION	I I I F		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3
A5F A5M A5R B3D B3E B3F	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES	I I I F		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT
A5F A5M A5R B3D B3E B3F D1A	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE	I I I F I B		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ
A5F A5M A5R B3D B3E B3F D1A D1B	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP
A5F A5M A5R B3D B3E B3F D1A D1B	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D	EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP  514.4X560X48 FP=3.5 FOR 1HZ 5 STEP
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR  ENGINE OIL COOLER  FAN AND COUPLING	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR  ENGINE OIL COOLER  FAN AND COUPLING  THERMOSTAT	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C)
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR  ENGINE OIL COOLER  FAN AND COUPLING  THERMOSTAT  EXHAUST EMISSION CONTROL	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP  514.4X560X48 FP=3.5 FOR 1HZ 5 STEP  470X8 10000CST 3STEP  76DEG(C) WITHOUT
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E	EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP  514.4X560X48 FP=3.5 FOR 1HZ 5 STEP  470X8 10000CST 3STEP  76DEG(C) WITHOUT WITHOUT
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K	EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR  ENGINE OIL COOLER  FAN AND COUPLING  THERMOSTAT  EXHAUST EMISSION CONTROL  CATALYTIC CONVERTER  MUFFLER  IGNITION SYSTEM	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT MAIN 23L ONLY
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR  ENGINE OIL COOLER  FAN AND COUPLING  THERMOSTAT  EXHAUST EMISSION CONTROL  CATALYTIC CONVERTER  MUFFLER  IGNITION SYSTEM  GLOW PLUG AND INTAKE HEATER	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT)
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR  ENGINE OIL COOLER  FAN AND COUPLING  THERMOSTAT  EXHAUST EMISSION CONTROL  CATALYTIC CONVERTER  MUFFLER  IGNITION SYSTEM  GLOW PLUG AND INTAKE HEATER  MANUAL IDLING CONTROL	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP  514.4X560X48 FP=3.5 FOR 1HZ 5 STEP  470X8 10000CST 3STEP  76DEG(C) WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT) WITH(DIAL TYPE)
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4K	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR  ENGINE OIL COOLER  FAN AND COUPLING  THERMOSTAT  EXHAUST EMISSION CONTROL  CATALYTIC CONVERTER  MUFFLER  IGNITION SYSTEM  GLOW PLUG AND INTAKE HEATER  MANUAL IDLING CONTROL  ACCELERATOR PEDAL	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT) WITH(DIAL TYPE) CABLE TYPE
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4K D4N	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR  ENGINE OIL COOLER  FAN AND COUPLING  THERMOSTAT  EXHAUST EMISSION CONTROL  CATALYTIC CONVERTER  MUFFLER  IGNITION SYSTEM  GLOW PLUG AND INTAKE HEATER  MANUAL IDLING CONTROL  ACCELERATOR PEDAL  CRUISE CONTROL	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT) WITH(DIAL TYPE) CABLE TYPE WITHOUT
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4K D4N D4R	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR  ENGINE OIL COOLER  FAN AND COUPLING  THERMOSTAT  EXHAUST EMISSION CONTROL  CATALYTIC CONVERTER  MUFFLER  IGNITION SYSTEM  GLOW PLUG AND INTAKE HEATER  MANUAL IDLING CONTROL  ACCELERATOR PEDAL  CRUISE CONTROL  OXYGEN SENSOR	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT) WITH(DIAL TYPE) CABLE TYPE WITHOUT WITHOUT WITHOUT
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4C D4G D4K D4N D4R D4T	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR  ENGINE OIL COOLER  FAN AND COUPLING  THERMOSTAT  EXHAUST EMISSION CONTROL  CATALYTIC CONVERTER  MUFFLER  IGNITION SYSTEM  GLOW PLUG AND INTAKE HEATER  MANUAL IDLING CONTROL  ACCELERATOR PEDAL  CRUISE CONTROL  OXYGEN SENSOR  POWER CONTROL SYSTEM	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT) WITHOUT WITHOUT WITHOUT WITHOUT WITHOUT AUTO-CABLE TYPE WITHOUT
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4C D4G D4K D4N D4R D4T D6B	EMISSION  FUEL CAUTION LABEL  FUEL CONSUMPTION STICKER  SPECIAL NOISE INSULATOR  BODY RUST PROTECTION  ANTI-PROJECTION MEASURES  ENGINE  CRANK PULLEY DAMPER  RADIATOR  ENGINE OIL COOLER  FAN AND COUPLING  THERMOSTAT  EXHAUST EMISSION CONTROL  CATALYTIC CONVERTER  MUFFLER  IGNITION SYSTEM  GLOW PLUG AND INTAKE HEATER  MANUAL IDLING CONTROL  ACCELERATOR PEDAL  CRUISE CONTROL  OXYGEN SENSOR  POWER CONTROL SYSTEM  FUEL FILTER	I I I I I I I I I I I I I I I I I I I		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT) WITH(DIAL TYPE) CABLE TYPE WITHOUT FOR DIESEL (1HZ)
A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4K D4N D4R D4R D4T D6B D6D	EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER MANUAL IDLING CONTROL ACCELERATOR PEDAL CRUISE CONTROL OXYGEN SENSOR POWER CONTROL SYSTEM FUEL FILTER FUEL SEDIMENTER	I I I I B B B B B I I B B B B C C		EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT) WITH(DIAL TYPE) CABLE TYPE WITHOUT

D6N	FUEL CUT SYSTEM	1	without
D6R	FUEL COOLER	I	WITHOUT
E1A	TRANSMISSION	В	5M/T R151F
E1E	CLUTCH	В	11 INCHES
E1F	CLUTCH PEDAL	D	TURN OVER 28N W/O SW
E1H	CLUTCH ACCUMULATOR	С	WITH INDEPENDENCE
E1J	SHIFT LEVER AND KNOB	В	URETHANE
G1A	STEERING COLUMN	С	TILT+TELESCO+COLLAPSIBLE
G1C	POWER STEERING	В	WITH P.S
G2D	SHOCK ABSORBER	В	STANDARD
G3A	FRONT WHEEL BRAKE	В	S12+12(32V)
G3B	REAR WHEEL BRAKE	В	DRUM 295LT
G3E	BRAKE CONTROL VALVE	В	LSP&BV
G3F	BRAKE VACUUM PUMP	В	WITH
G3G	BRAKE M/CYLINDER AND BOOSTER	В	23.81MM 9 BOOSTER
G3J	VACUUM TANK	В	0.5L
J1A	FRAME	D	SEMILONG
J1C	HOOD REST BLOCK	1	WITHOUT
J1H	LUGGAGE AND BACK DOOR	В	VAN FIXED GLASS
J1W	ROLL BAR		WITHOUT
J3C	SIDE GLASS	В	GREEN
J4B	E/G UNDER COVER AND PROTECTOR	В	WITH
J4N	TRANSFER PROTECTOR	В	WITH(SMALL TYPE)
J5A	FLOOR SILENCER	C	ALL FLOOR
J5B	HOOD SILENCER		WITHOUT
J5C	DASH SILENCER	В	INTERIOR
J7B	TRANSPORT HOOK	В	FR 2
J7C	DECK HOOK	В	WITH
K4A	WINDSHIELD MOULDING	ı	WITHOUT
K6B	MODEL NAME MARK	В	LAND CRUISER
K6K	LOADING CAPACITY MARK		WITHOUT
L2D	CHILD PROTECTOR	В	WITH (ONLY RR DOOR)
L2N	FUEL LID OPENER	В	WITH
L2U	KEY PLATE	В	OUTER-GROOVE
L2V	KEY HOLDER	1	WITHOUT
L4A	WINDSHIELD WIPER	В	FIXED
L4D	WIPER BLADE	В	STANDARD TYPE
L4F	WASHER TANK	E	STD 3.0L(1HZ,1VD,1GR)
L5A	ROOM LAMP	C	FR 1 + RR 1
L6A	HEADLAMP	В	2 HALOGEN
L6F	HEADLAMP CLEANER		WITHOUT
L6G	CLEARANCE LAMP	В	WITH HEAD LANP 1BODY
L6J	FRONT TURN SIGNAL LAMP	В	WITH HEAD LANP 1BODY
L6N	DAYTIME RUNNING LIGHT SYSTEM	1	WITHOUT
L7F	SIDE TURN SIGNAL LAMP	i	WITHOUT
L7N	EMERGENCY STOP SIGNAL	<u>·</u>	WITHOUT
L8C	FRONT AND SIDE UNDER MIRROR	i	WITHOUT
N1A	ROOF HEAD LINING	 D	MLD HEADLINING
N2M	LUGGAGE DR AND BACK DR TRIM	В	SEMI TRIM(BOAD+PVC)
N2P	FRONT PILLAR GARNISH	В	WITH(RESIN)
N2R	CENTER PILLAR GARNISH	В	WITH(RESIN)
N2T	ROOF SIDE INNER GARNISH	В	WITH(RESIN)
N4G	FOOT REST	В	WITH
P1H	CIGARETTE LIGHTER	В	WITH (W/ILMNT)
P2B	FRONT CONSOLE BOX	B	WITH (W/IEI/INT) WITH (ARM REST AND STORAGE COMPARTMENT)
P3M	VENTILATION LOUVER(OUTLET)	В	WITH
R4H	CHILD RESTRAINT SYSTEM	I	WITHOUT
11-111	CITED RESTRAINT STSTEIVI	· ·	WITHOUT

T1A	VOLTAGE	В	12V
T1F	ALTERNATOR	D	K3B-ME 80A
T2C	COMBINATION SWITCH	В	STANDARD TYPE
T3W	METER ILLUMINATION CONTROL	В	WITH
T5C	AIR CLEANER WARNING	I	WITHOUT
	SEAT NUMBERS	1	5
T5F	SPEED WARNING	I	WITHOUT
T5G	BRAKE WARNING	С	PKB+LEVEL+VACUUM
T5J	DOOR AJAR WARNING	В	WITH(ALL DOOR)
T5K	LIGHT REMIND WARNING	В	WITH(BUZZER)
T5L	KEY REMIND WARNING	1	WITHOUT
T5M	ENGINE OIL LEVEL WARNING	1	WITHOUT
T5S	TIMING BELT MAINTENANCE WARN.	В	WITH
T5T	ENGINE MONITOR WARNING	1	WITHOUT
T5X	TIRE INFLATION PRESS. WARNING	1	WITHOUT
T7A	HORN	С	STANDARD (E MARK )

## US\$ 38.820,- / Euro 32.350,-

Model	LC76 SEMI-LWB 4.2 LITRE DIESEL 6 CYLINDER 1HZ ENGINE 9-Seater
Katashiki	HZJ76L-RKMRS
Model	2020

*	TIRE BRAND	А		UNSPECIFIED
T1B	BATTERY	С		80D26R
G4A	TIRE AND DISC WHEEL	Q	*	265/70R16C 7JJ ALUMI L/TUBE
G2A	SUSPENSION	В		COIL/LEAF STANDARD
E2B	REAR DIFFERENTIAL	G		4.300 4P
G2K	FREE WHEEL HUB	I		WITHOUT
D3C	AIR CLEANER	D	*	CYCRON+SCHNORCKEL
L1A	TARPAULIN/HARD TOP	I		WITHOUT
J3A	WINDSHIELD GLASS	В		GREEN LAMINATED
N6F	DOOR POCKET	I		WITHOUT
K1C	REAR BUMPER	M		STD BLACK PAINTED + RR REFLECTOR
A4C	BODY STRIPE	I		WITHOUT
L2B	POWER DOOR LOCK	В	*	WITH INTERLOCKED D SEAT
A2K	WINCH	1		WITHOUT
K6A	BRAND NAME MARK	I		WITHOUT
J3L	REAR GLASS	I		WITHOUT
D6L	AUXILIARY FUEL TANK	1		WITHOUT
D6F	FUEL TANK CAPACITY	Р		130L C TYPE ON FRAME
G4H	SPARE WHEEL COVER	1		WITHOUT
J1F	FRONT DOOR	В		FIXED W/O TRIANGLE WINDOW
P1F	GLOVE BOX	С		W/O KEY
L6K	FRONT FOG AND DRIVING LAMP	I		WITHOUT
B2B	GRADE PACKAGE	I		WITHOUT
T3A	SPEEDOMETER	В		LOW GRADE KM/H
T3M	CLOCK	В	*	WITH
T2B	WIRE HARNESS FOR TRAILER	I		WITHOUT
R1A	FRONT SEAT	С	*	SEPARATE SEAT, ARM REST IN MIDDLE
P3A	HEATER	С	*	FR(AL CORE 36MM)
R1B	REAR SEAT	В		FOR FRONT

N6A	CUP HOLDER	D		FR BOTL HOLDER
L2G	POWER WINDOW	В	*	WITH(D ONE TOUCH DOWN ONL
G1B	STEERING WHEEL	D		4 SPOKE URETHANE D390
R4B	REAR SEAT BELT	С		ELR 3-2-3
L8A	OUTSIDE REAR VIEW MIRROR	С		DOOR D,P ROUND W, E MARK
L4G	WASHER FLUID	В		WITH
U1C	AUDIO(OVERSEAS MARKET)	W	*	AM/FM CD USB 2SP Y
взв	COLD AREA PACKAGE	1		WITHOUT
D2C	ENGINE COOLANT	С		LLC 30%
A5P	EMISSION ID PLATE	N		DESTINATION EXCEPT JAPAN
*	EXPORT	Υ		ETHIOPIA
J3M	REAR WINDOW DEFOGGER	1		WITHOUT
R1H	SEAT MATERIAL	В		VINYL LEATHER
E1D	TRANSFER	В		BF1B DIRECT
P4J	SIDE DEFROSTER	I		WITHOUT
T3G	WATER TEMPERATURE GAUGE	С	*	WIDE TYPE
J7A	TOWING HOOK	M	*	FR CLOSED B 1+RR PINTRE 1
J3H	REAR QUARTER GLASS	D		SWING
L4C	INTERMITTENT WIPER	<u> </u>		WITHOUT
L4B	REAR WINDOW WIPER	i		WITHOUT
K8A	ROOF RACK	i		WITHOUT
K3C	MUD GUARDS	L	*	FOR OVER FENDER(FR+RR)ADR
A3C	FIRE EXTINGUISHER			WITHOUT
D4F	HIGH ALTITUDE COMPENSATOR	В	*	WITH
P4A	AIR CONDITIONER	В	*	WITH
G4J	SPARE WHEEL CARRIER	F	*	BACK DOOR PUTSIDE + LOCK
043	PRODUCTION SEGMENT	P		SEG P
	MODEL YEAR	<u>'</u> I		WITHOUT
A2A	OWNERS MANUAL	F	*	DUAL
L7D	HIGH MOUNT STOP LAMP	В	*	WITH
A5D	REGULATION COMPLIANCE LABEL	E		GENERAL NAME PLATE
B4A	CKD PACKAGE			WITHOUT
B3K	BODY PROTECTION FILM	E		WRAP GUARD
L6C	HEADLAMP LEVELING			WITHOUT
T5W	BACK (OUTSIDE) BUZZER	<u>'</u>		WITHOUT
K6D	MODEL SYMBOL MARK	В	*	WITH
D6C	FUEL HEATER	ı		WITHOUT
R5A	AIR BAG SYSTEM	C	*	WITH(D+P)
G3H	ABS	В	*	WITH (ACT DRY)
A5E	AIR-BAG CAUTION LABEL	С	*	ENGLISH +FRENCH
T2F	ACCESSORY CONNECTOR	ı		WITHOUT
L2C	WIRELESS DOOR LOCK	В	*	WITH
U1E	ANTENNA	В	*	WITH(MANUAL)
				,
K2A	FRONT GRILLE BATTERY CAUTION LABEL	B I		MATERIAL COLOR WITHOUT
A5L K6E		<u> </u>		
K6E	GRADE MARK	В		WITHOUT
N1D	SUN VISOR			STANDARD
N2B	DOOR TRIM	В		FOR STD
N4A	FLOOR CARPET AND MAT	D		VINYL+SILENCER(FR+CTR+RR)
R1J	FRONT HEADREST	В		D+P SMALL VINYL
G2E	STABILIZER	В		FR ONLY
E2A	FRONT DIFFERENTIAL	С	*	4.300 2P
K1B	FRONT BUMPER	E	τ	EXTENSION 136MM MOLDING
K6H	DISPLACEMENT MARK	l D		WITHOUT
L7B	LICENSE PLATE LAMP	В	1	STANDARD TYPE
J4M	TRANSMISSION PROTECTOR	I	1	WITHOUT
B3M	ANTI-THEFT SYSTEM	I		WITHOUT

J1N	SIDE AND RR STEP	В	Î	ALUMINUM
K4E	REAR WINDOW MOULDING	l		WITHOUT
K4G	ROOF DRIP MOULDING	l		WITHOUT
D6A	FUEL PUMP	D	*	VE STANDARD + ACS
T3C	TACHOMETER			WITHOUT
T3K	VOLTAGE METER	В		WARNING LAMP
T3L	OIL PRESSURE METER	В		WARNING LAMP
N2D	DOOR ARM REST	E	*	FR+RR LARGE TYPE
P2C	REAR CONSOLE BOX	В	*	WITH
R2A	FRONT SEAT SLIDE	F	*	D:195MM P:195MM(SEPARATE)
R2J	WALK-IN SYSTEM	ı		WITHOUT
R2S	SEAT BACK POCKET			WITHOUT
R4A	FRONT SEAT BELT	С	*	ELR3-3(SEPARATE)
J4K	WHEEL HOUSE COVER	В		WITH(VINYL)
L2F	DOOR INSIDE HANDLE	D		DR 1, PA 1, RR 2
N1B	ASSIST GRIP	G	*	FR 3+ RR 4
N2K	QUARTER TRIM	В		BOAD+PVC
P1G	ASH TRAY	С		FR 1(W/LAMP) + RR 2
R1K	REAR HEADREST	В		2 SMALL(VINYL)
T1J	STARTER	D		R-2.5KW
E1K	4WD TRANSFER LEVER AND KNOB	С		4 POSITION
A5C	L.S.P.V. MARKING LABEL			WITHOUT
A6J	FUEL CONSUMPTION PER. LABEL	l		WITHOUT
L7A	REAR COMBINATION LAMP	С		FOR 4DOOR VAN (ON RR BUMP
L7E	REAR FOG LAMP			WITHOUT
L8B	INSIDE REAR VIEW MIRROR	В		DAY&NIGHT(GENERAL)
J1L	OVER FENDER	В	*	WITH
N6K	INSTRUMENT PANEL UPPER TRAY		*	WITHOUT
P1J	INSTRUMENT PANEL ASSIST GRIP	<u>.</u> I	*	WITHOUT
A2D	TOOL(FACTORY INSTALLATION)	В		OVERSEA BASIC SET
A3D	FLARE AND FLASHLIGHT	l		WITHOUT
A4A	BLACK OUT	ı		WITHOUT
A4B	BODY COLOR	В		MONOTONE
A5B	ENGINE SERVICE INFO. LABEL	С		DIESEL
A5F	EMISSION	I		EURO2
A5M	FUEL CAUTION LABEL	l		WITHOUT
A5R	FUEL CONSUMPTION STICKER	ı		WITHOUT
B3D	SPECIAL NOISE INSULATOR	1		WITHOUT
B3E	BODY RUST PROTECTION	F		AREA 2,3
B3F	ANTI-PROJECTION MEASURES	ı		WITHOUT
D1A	ENGINE	В		1HZ
D1B	CRANK PULLEY DAMPER	В		1HZ 3 STEP
D2A	RADIATOR	Н		514.4X560X48 FP=3.5
D2D	ENGINE OIL COOLER	D		FOR 1HZ 5 STEP
D2E	FAN AND COUPLING	E		470X8 10000CST 3STEP
D2F	THERMOSTAT	В		76DEG(C)
D3E	EXHAUST EMISSION CONTROL	ı		WITHOUT
D3F	CATALYTIC CONVERTER	I		WITHOUT
D3K	MUFFLER	В		MAIN 23L ONLY
D4A	IGNITION SYSTEM	1		WITHOUT
D4C	GLOW PLUG AND INTAKE HEATER	В		AUTO-CONTROL (QUICK-HEAT)
D4G	MANUAL IDLING CONTROL	В		WITH(DIAL TYPE)
D4K	ACCELERATOR PEDAL	В		CABLE TYPE
D4N	CRUISE CONTROL	I		WITHOUT
D4R	OXYGEN SENSOR	I		WITHOUT
D4T	POWER CONTROL SYSTEM	I		WITHOUT
D6B	FUEL FILTER	В		FOR DIESEL (1HZ)

D6E         EVAPORATIVE SYSTEM         I         WITHOUT           D6N         EVAPORATIVE SYSTEM         I         WITHOUT           D6N         FUEL COLCER         I         WITHOUT           D6R         FUEL COCKER         I         WITHOUT           D6R         FUEL COCKER         I         WITHOUT           D6R         FUEL COCKER         I         WITHOUT           ELE         ELICHOH         B         D         TUNN OVER 28N W/O SW           ELE         ELICHOH         B         D         TUNN OVER 28N W/O SW           E1H         LUTCH ACCUMULATOR         C         WITH INDEPENDENCE           E1H         LUTCH ACCUMULATOR         C         WITH INDEPENDENCE           G1A         STERING COLUMN         C         TILTTELESCO-COCLUAPSIBLE           G1C         POWER STEERING         B         MITH PS           G3A         FRANCE VACUUM PURBER         B         STEANDARD           G3A         FRANCE VACUUM PURB         B         SPRBVY           G3B         RARA WHELE BRAKE         B         D.S.L           G3G         BRAKE VACUUM PAMA         B         D.S.L           G3G         BRAKE ONTERO         B	D6D	FUEL SEDIMENTER	С	WITH (WITH BUZZER WARNING
D6K         EVAPORATIVE SYSTEM         I         MITHOUT           D6R         PLECTOSYSTEM         I         MITHOUT           D6R         PUEL COOLER         I         MITHOUT           E1A         TRANSMISSION         B         SM/T KISJE           E1C         CUTCH         B         I         INCHES           E1F         CLUTCH PEDAL         D         TURN OVER 258 W/J SW           E1F         CLUTCH ACCUMULATOR         C         MITH INDEPROPENCE           E1J         SHIFT LEVER AND KNOB         B         JURTHANE           GLC         POWER STEERING         B         JURTHANE           GLC         POWER STEERING         B         MITH PLSS           GAD         SHOCK ABSORBER         B         STANDARD           GAZD         SHOCK ABSORBER         B         STANDARD           G3B         BRAE WHEEL BRAKE         B         STANDARD           G3B         BRAE WHEEL BRAKE         B         STANDARD           G3B         BRAE WACLUMP PUMP         B         MITH HUTH           G3B         BRAE WACLUMP RUMP         B         MITH HUTH           G3B         BRAE WACLUMP RUMP         B         J.S.	D6E	FUEL INLET	В	
DOR	D6K	EVAPORATIVE SYSTEM	1	
DOR				
TRANSMISSION				
ELE         CLUTCH PEDAL         D         TURN OVER 28N W/O SW           ELF         CLUTCH PEDAL         D         TURN OVER 28N W/O SW           ELI         SHIFT LEVER AND KNOB         B         URTHANE           GLA         STEERING COLUMN         C         C         TURT THE LESCO-COLLAPSIBLE           GLO         POWER STEERING         B         WITH P.S           G2D         SHOCK ABSORBER         B         STANDARD           G3A         FRONT WHEEL BRAKE         B         STANDARD           G3B         REAR WHEEL BRAKE         B         DRUM 295LT           G3B         BRAKE CONTROL VALVE         B         LSP884           G3B         BRAKE WACUJUM PUMP         B         WITH           G3B         BRAKE MYCYUNDER AND BOOSTER         B         23.81MM 9 BOOSTER           G3B         BRAKE MYCYUNDER AND BOOSTER         B         D.SL           J1L         FRAME         D         SEMILONG           J1L         HOD REST BLOCK         I         WITHOUT           J1L         LUGGAGE AND BACK DOOR         B         WAN FIXED GLASS           J1H         LUGGAGE AND BACK DOOR         B         WAN FIXED GLASS           J1H         LUGGAGE				
E1F         ELUTCH REDAL         D         TURN OVER 28N W/O SW           E1H         LUTCH ACCUMULATOR         C         WITH INDEPENDENCE           E1H         LUTCH ACCUMULATOR         C         WITH INDEPENDENCE           E1         SHIFT LEVER AND KNOB         B         JRETHANE           G1A         STERRING COLUMN         C         TILT-TELESCO-COCLAPSIBLE           G1D         STERRING COLUMN         C         TILT-TELESCO-COCLAPSIBLE           G2D         SHOCK ABSORBER         B         MYTH P.S           G3A         RAR WHEEL BRAKE         B         DRUM 29SLT           G3B         REAR WHEEL BRAKE         B         DRUM 29SLT           G3F         BRAKE CONTROL VALVE         B         LSP&BAV           G3F         BRAKE VACUUM PUMP         B         WITH           G3G         BRAKE M/CYLINDER AND BOOSTER         B         23.81MM 9 BOOSTER           G3J         VACUUM TANK         B         O.SL           J1L         FRAME         D         SEMILONG           J1L         LGAGGE AND BACK DOOR         B         VAN PIKED GLASS           J1W         ROLGAGE AND BACK DOOR         B         VAN PIKED GLASS           J1W         ROLGAGE AND B				
ELH CLUTCH ACCUMULATOR C		+		
E1J         SHIFT LEVER AND KNOB         B         URETHANE           G1A         STERRING COLUMN         C         TILT+TELSCO+COLLAPSIBLE           G1A         STERRING STERRING         B         MITH P.S           G2D         SHOCK ABSORBER         B         MITH P.S           G3A         FRORT WHEEL BRAKE         B         S12-12(32V)           G3B         REAR WHEEL BRAKE         B         DRUM 295LT           G3B         RAKE WOLUM PUMP         B         MITH           G3G         BRAKE M/CYLINDER AND BOOSTER         B         23.81MM 9 BOOSTER           G3G         BRAKE M/CYLINDER AND BOOSTER         B         D.S.L           J1A         FRAME         D         SEMILONG           J1A         FRAME         D         SEMILONG           J1C         HOOD REST BLOCK         I         MITHOUT           J1A         HORGAGE AND BACK DOOR         B         AN PIKED GLASS           J1W         BUGGAGE AND BACK DOOR         B         MITHOUT           J3C         SIDE GLASS         B         GREEN           J3B         JGC UNDER COVER AND PROTECTOR         B         MITH           J4N         MITHAL         MITHAL         MITHAL				
STEERING COLUMN				
STANDARD   STEATH   STANDARD				
SHOCK ABSORBER				
G3A   FRONT WHEEL BRAKE				
G38         REAR WHEEL BRAKE         B         DRUM 295LT           G3E         BRAKE CONTROL VALVE         B         LSP&BW           G3F         BRAKE CANTROL VALVE         B         WITH           G3G         BRAKE WACUUM PUMP         B         WITH           G3G         BRAKE M/CYLINDER AND BOOSTER         B         23.81MM 9 BOOSTER           G31         WACUUM TANK         B         D.SL           J1A         FAME         D         SEMILONG           J1C         HOOD REST BLOCK         I         WITHOUT           J1C         HOOD REST BLOCK         I         WITHOUT           J1L         LUGGAGE AND BACK DOOR         B         VAN FIXE GLASS           J1W         ROLL BAR         I         MITHOUT           J3C         SIDE GLASS         B         GREEN           J3C         SIDE GLASS         B         MITHOUT           J3A         FLOOR SILENCER         C         ALL FLOOR           J5A         HOOD SILENCER         C         ALL FLOOR           J5A         HOOD SILENCER         I         WITHOUT           J5C         DASH SILENCER         B         NITERIOR           J7C         DECK HOO				
BRAKE CONTROL VALVE				` '
BRAKE VACUUM PUMP				
BRAKE M/CYLINDER AND BOOSTER   B   23.81MM 9 BOOSTER				
SACUUM TANK				
TAME		,		
11				
11				
11W   ROLL BAR				
SIDE GLASS   B				
JAB				
JAN				
JSA		<u>'</u>		
JSC				
JSC				
TRANSPORT HOOK				
J7C				
K4A         WINDSHIELD MOULDING         I         WITHOUT           K6B         MODEL NAME MARK         B         LAND CRUISER           K6K         LOADING CAPACITY MARK         I         WITHOUT           L2D         CHILD PROTECTOR         B         WITH (ONLY RR DOOR)           L2N         FUEL LID OPENER         B         WITH           L2V         KEY PLATE         B         OUTER-GROOVE           L2V         KEY HOLDER         I         WITHOUT           L4A         WINDSHIELD WIPER         B         FIXED           L4D         WIPER BLADE         B         STANDARD TYPE           L4F         WASHER TANK         E         STADJL(JHZ,JVD,JGR)           L5A         ROOM LAMP         C         FR 1 + RR 1           L6A         HEADLAMP         B         Z HALOGEN           L6F         HEADLAMP         B         WITHOUT           L6G         CLEARANCE LAMP         B         WITH HEAD LANP 1BODY           L6N         DAYTIME RUNNING LIGHT SYSTEM         I         WITHOUT           L7F         SIDE TURN SIGNAL LAMP         I         WITHOUT           L7N         EMERGENCY STOP SIGNAL         I         WITHOUT      <		+		
K6B MODEL NAME MARK B LAND CRUISER K6K LOADING CAPACITY MARK I WITHOUT L2D CHILD PROTECTOR B WITH (ONLY RR DOOR) L2N FUEL LID OPENER B WITH L2U KEY PLATE B OUTER-GROOVE L4N WINDSHIELD WIPER B FIXED L4A WINDSHIELD WIPER B FIXED L4D WIPER BLADE B STANDARD TYPE L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR) L5A ROOM LAMP C FR 1 + RR 1 L6A HEADLAMP B Z HALOGEN L6F HEADLAMP B WITHOUT L6G CLEARANCE LAMP B WITHOUT L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT L7F SIDE TURN SIGNAL LAMP I WITHOUT L7F SIDE TURN SIGNAL LAMP I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT L8C FRONT PLAND SIDE UNDER MIRROR I WITHOUT L8C FRONT PLAND SIDE UNDER MIRROR I WITHOUT L8C FRONT PLAND SIDE UNDER MIRROR I WITHOUT N1A ROOF HEAD LINING D MILD MICHOUT N1A ROOF HEAD LINING D MILD MICHOUT N2P FRONT PILLAR GARNISH B WITH (RESIN) N2P FRONT PILLAR GARNISH B WITH (RESIN) N2C CENTER PILLAR GARNISH B WITH (RESIN) N4G FOOT REST				
K6K LOADING CAPACITY MARK LOADING CAPACITY M	K4A	WINDSHIELD MOULDING	l	WITHOUT
CHILD PROTECTOR  B WITH (ONLY RR DOOR)  L2N FUEL LID OPENER B WITH  L2U KEY PLATE B OUTER-GROOVE  L2V KEY HOLDER I WITHOUT  L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C FR 1 + RR 1  L6A HEADLAMP B L6F HEADLAMP B L6F HEADLAMP B WITH HEAD LANP 1BODY  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  L8C FRONT PILLAR GARNISH B SEMIL TRIMIBOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH (ESIN)  N2T ROOF SIDE INNER GARNISH B WITH (ESIN)  N4G FOOT REST		MODEL NAME MARK		LAND CRUISER
L2N FUEL LID OPENER B WITH  L2U KEY PLATE B OUTER-GROOVE  L2V KEY HOLDER I WITHOUT  L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C FR 1 + RR 1  L6A HEADLAMP B Z HALOGEN  L6F HEADLAMP B WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING D MLD HEADLINING  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH (RESIN)  N2T ROOF SIDE INNER GARNISH B WITH (RESIN)  N4G FOOT REST		LOADING CAPACITY MARK	I	WITHOUT
L2U KEY PLATE B OUTER-GROOVE  L2V KEY HOLDER I WITHOUT  L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C C FR 1 + RR 1  L6A HEADLAMP B ZHALOGEN  L6F HEADLAMP B WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING D MILD HEADLINING  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH (RESIN)  N2T ROOF SIDE INNER GARNISH B WITH (RESIN)  N4G FOOT REST B WITH (RESIN)				· · · · · · · · · · · · · · · · · · ·
L2V KEY HOLDER I WITHOUT  L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C C FR 1 + RR 1  L6A HEADLAMP B Z HALOGEN  L6F HEADLAMP B WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING D MLD HEADLINING  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH (RESIN)  N2T ROOF SIDE INNER GARNISH B WITH (RESIN)  N4G FOOT REST B WITH	L2N	FUEL LID OPENER	В	WITH
L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C FR 1 + RR 1  L6A HEADLAMP B Z HALOGEN  L6F HEADLAMP B WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING D MLD MLD MLD MLD MLD MLD MLD MLD MLD M		KEY PLATE	В	OUTER-GROOVE
L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C C FR 1 + RR 1  L6A HEADLAMP B Z HALOGEN  L6F HEADLAMP CLEANER I WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING D MLD HEADLINING  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH(RESIN)  N2T ROOF SIDE INNER GARNISH B WITH(RESIN)  N4G FOOT REST B WITH	L2V	KEY HOLDER	I	WITHOUT
L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C C FR 1 + RR 1  L6A HEADLAMP B Z HALOGEN  L6F HEADLAMP CLEANER I WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING D MLD HEADLINING  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH(RESIN)  N2T ROOF SIDE INNER GARNISH B WITH(RESIN)  N2T ROOF SIDE INNER GARNISH B WITH(RESIN)  N4G FOOT REST B WITH	L4A	WINDSHIELD WIPER	В	FIXED
L5A ROOM LAMP C FR 1 + RR 1  L6A HEADLAMP B 2 HALOGEN  L6F HEADLAMP CLEANER I WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING D MLD HEADLINING  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH(RESIN)  N2R CENTER PILLAR GARNISH B WITH(RESIN)  N2T ROOF SIDE INNER GARNISH B WITH(RESIN)  N4G FOOT REST B WITH	L4D	WIPER BLADE	В	STANDARD TYPE
L6A HEADLAMP B 2 HALOGEN  L6F HEADLAMP CLEANER I WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING D MLD HEADLINING  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH(RESIN)  N2R CENTER PILLAR GARNISH B WITH(RESIN)  N2T ROOF SIDE INNER GARNISH B WITH(RESIN)  N4G FOOT REST B WITH	L4F	WASHER TANK	E	STD 3.0L(1HZ,1VD,1GR)
L6F HEADLAMP CLEANER I WITHOUT L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT L7F SIDE TURN SIGNAL LAMP I WITHOUT L7N EMERGENCY STOP SIGNAL I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT N1A ROOF HEAD LINING D MLD HEADLINING N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC) N2P FRONT PILLAR GARNISH B WITH(RESIN) N2R CENTER PILLAR GARNISH B WITH(RESIN) N2T ROOF SIDE INNER GARNISH B WITH(RESIN) N4G FOOT REST B WITH	L5A	ROOM LAMP	С	FR 1 + RR 1
L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT L7F SIDE TURN SIGNAL LAMP I WITHOUT L7N EMERGENCY STOP SIGNAL I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT N1A ROOF HEAD LINING D MLD HEADLINING N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC) N2P FRONT PILLAR GARNISH B WITH(RESIN) N2R CENTER PILLAR GARNISH B WITH(RESIN) N2T ROOF SIDE INNER GARNISH B WITH(RESIN) N4G FOOT REST B WITH	L6A	HEADLAMP	В	2 HALOGEN
L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT L7F SIDE TURN SIGNAL LAMP I WITHOUT L7N EMERGENCY STOP SIGNAL I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT N1A ROOF HEAD LINING D MLD HEADLINING N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM (BOAD+PVC) N2P FRONT PILLAR GARNISH B WITH (RESIN) N2R CENTER PILLAR GARNISH B WITH (RESIN) N2T ROOF SIDE INNER GARNISH B WITH (RESIN) N4G FOOT REST B WITH	L6F	HEADLAMP CLEANER	ĺ	WITHOUT
L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING D MLD HEADLINING  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH(RESIN)  N2R CENTER PILLAR GARNISH B WITH(RESIN)  N2T ROOF SIDE INNER GARNISH B WITH(RESIN)  N4G FOOT REST B WITH	L6G	CLEARANCE LAMP	В	WITH HEAD LANP 1BODY
L7F SIDE TURN SIGNAL LAMP I WITHOUT L7N EMERGENCY STOP SIGNAL I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT N1A ROOF HEAD LINING D MLD HEADLINING N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC) N2P FRONT PILLAR GARNISH B WITH(RESIN) N2R CENTER PILLAR GARNISH B WITH(RESIN) N2T ROOF SIDE INNER GARNISH B WITH(RESIN) N4G FOOT REST B WITH	L6J	FRONT TURN SIGNAL LAMP	В	WITH HEAD LANP 1BODY
L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING D MLD HEADLINING  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH(RESIN)  N2R CENTER PILLAR GARNISH B WITH(RESIN)  N2T ROOF SIDE INNER GARNISH B WITH(RESIN)  N4G FOOT REST B WITH	L6N	DAYTIME RUNNING LIGHT SYSTEM	1	WITHOUT
L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING D MLD HEADLINING  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH(RESIN)  N2R CENTER PILLAR GARNISH B WITH(RESIN)  N2T ROOF SIDE INNER GARNISH B WITH(RESIN)  N4G FOOT REST B WITH	L7F	SIDE TURN SIGNAL LAMP	1	WITHOUT
N1A ROOF HEAD LINING D MLD HEADLINING N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC) N2P FRONT PILLAR GARNISH B WITH(RESIN) N2R CENTER PILLAR GARNISH B WITH(RESIN) N2T ROOF SIDE INNER GARNISH B WITH(RESIN) N4G FOOT REST B WITH	L7N	EMERGENCY STOP SIGNAL	Ţ	WITHOUT
N2M     LUGGAGE DR AND BACK DR TRIM     B     SEMI TRIM(BOAD+PVC)       N2P     FRONT PILLAR GARNISH     B     WITH(RESIN)       N2R     CENTER PILLAR GARNISH     B     WITH(RESIN)       N2T     ROOF SIDE INNER GARNISH     B     WITH(RESIN)       N4G     FOOT REST     B     WITH	L8C	FRONT AND SIDE UNDER MIRROR	1	without
N2P     FRONT PILLAR GARNISH     B     WITH(RESIN)       N2R     CENTER PILLAR GARNISH     B     WITH(RESIN)       N2T     ROOF SIDE INNER GARNISH     B     WITH(RESIN)       N4G     FOOT REST     B     WITH	N1A	ROOF HEAD LINING	D	MLD HEADLINING
N2R     CENTER PILLAR GARNISH     B     WITH(RESIN)       N2T     ROOF SIDE INNER GARNISH     B     WITH(RESIN)       N4G     FOOT REST     B     WITH	N2M	LUGGAGE DR AND BACK DR TRIM	В	SEMI TRIM(BOAD+PVC)
N2T ROOF SIDE INNER GARNISH B WITH(RESIN) N4G FOOT REST B WITH	N2P	FRONT PILLAR GARNISH	В	WITH(RESIN)
N4G FOOT REST B WITH	N2R	CENTER PILLAR GARNISH	В	WITH(RESIN)
	N2T	ROOF SIDE INNER GARNISH	В	WITH(RESIN)
P1H CIGARETTE LIGHTER B WITH (W/ILMNT)	N4G	FOOT REST	В	WITH
	P1H	CIGARETTE LIGHTER	В	WITH (W/ILMNT)

P2B	FRONT CONSOLE BOX	1	WITH (ARM REST AND STORAGE COMPARTMENT)
P3M	VENTILATION LOUVER(OUTLET)	В	WITH
R4H	CHILD RESTRAINT SYSTEM	I	WITHOUT
T1A	VOLTAGE	В	12V
T1F	ALTERNATOR	D	K3B-ME 80A
T2C	COMBINATION SWITCH	В	STANDARD TYPE
T3W	METER ILLUMINATION CONTROL	В	WITH
T5C	AIR CLEANER WARNING	I	WITHOUT
	SEAT NUMBERS	I	9
T5F	SPEED WARNING	1	WITHOUT
T5G	BRAKE WARNING	С	PKB+LEVEL+VACUUM
T5J	DOOR AJAR WARNING	В	WITH(ALL DOOR)
T5K	LIGHT REMIND WARNING	В	WITH(BUZZER)
T5L	KEY REMIND WARNING	I	WITHOUT
T5M	ENGINE OIL LEVEL WARNING	1	WITHOUT
T5S	TIMING BELT MAINTENANCE WARN.	В	WITH
T5T	ENGINE MONITOR WARNING	I	WITHOUT
T5X	TIRE INFLATION PRESS. WARNING	I	WITHOUT
T7A	HORN	С	STANDARD (E MARK)

## US\$ 39.230,- / Euro 32.690,-

Model	LC78 LWB 4.2 LITRE DIESEL 6 CYLINDER 1HZ ENGINE
Katashiki	HZJ78L-RJMRS
Model	2020

*	TIRE BRAND	D	*	DUNLOP
T1B	BATTERY	С		80D26R
G2A	SUSPENSION	В		COIL/LEAF STANDARD
E2B	REAR DIFFERENTIAL	G		4.300 4P
G2K	FREE WHEEL HUB	I		WITHOUT
D3C	AIR CLEANER	С		CYCRON+SCHNORCKEL
L1A	TARPAULIN/HARD TOP	I		WITHOUT
J3A	WINDSHIELD GLASS	В		GREEN LAMINATED
N6F	DOOR POCKET	I		WITHOUT
K1C	REAR BUMPER	В		STD BLACK PAINTED
A4C	BODY STRIPE	I		WITHOUT
L2B	POWER DOOR LOCK	В	*	WITH INTERLOCKED D SEAT
A2K	WINCH	I		WITHOUT
K6A	BRAND NAME MARK	I		WITHOUT
J3L	REAR GLASS	I		WITHOUT
D6L	AUXILIARY FUEL TANK	I		WITHOUT
D6F	FUEL TANK CAPACITY	С		90L B TYPE ON BODY NEEDED '90L B+90L A ON FRAME
G4H	SPARE WHEEL COVER	I		WITHOUT
J1F	FRONT DOOR	В		FIXED W/O TRIANGLE WINDOW
P1F	GLOVE BOX	С		W/O KEY
L6K	FRONT FOG AND DRIVING LAMP	I		WITHOUT
B2B	GRADE PACKAGE	I		WITHOUT
T3A	SPEEDOMETER	В		LOW GRADE KM/H
T3M	CLOCK	В	*	WITH
T2B	WIRE HARNESS FOR TRAILER	I		WITHOUT
R1A	FRONT SEAT	В		BENCH SEAT
P3A	HEATER	С	*	FR(AL CORE 36MM)
R1B	REAR SEAT	С		PARALLEL

N6A	CUP HOLDER	D		FR BOTL HOLDER
L2G	POWER WINDOW	В	*	WITH(D ONE TOUCH DOWN ONL
G1B	STEERING WHEEL	D		4 SPOKE URETHANE D390
R4B	REAR SEAT BELT	I		WITHOUT
L8A	OUTSIDE REAR VIEW MIRROR	С		DOOR D,P ROUND W, E MARK
L4G	WASHER FLUID	В		WITH
U1C	AUDIO(OVERSEAS MARKET)	w	*	AM/FM CD USB 2SP Y
B3B	COLD AREA PACKAGE	I		WITHOUT
D2C	ENGINE COOLANT	С		LLC 30%
A5P	EMISSION ID PLATE	N		DESTINATION EXCEPT JAPAN
*	EXPORT	Υ		ETHIOPIA
J3M	REAR WINDOW DEFOGGER	ı		WITHOUT
R1H	SEAT MATERIAL	В		VINYL LEATHER
E1D	TRANSFER	В		BF1B DIRECT
P4J	SIDE DEFROSTER	I		WITHOUT
T3G	WATER TEMPERATURE GAUGE	С	*	WIDE TYPE
J7A	TOWING HOOK	L	*	FR CLOSED B 1+RR CLOSED 1
J3H	REAR QUARTER GLASS	С	*	SLIDE
L4C	INTERMITTENT WIPER	I		WITHOUT
L4B	REAR WINDOW WIPER	l		WITHOUT
K8A	ROOF RACK	l		WITHOUT
КЗС	MUD GUARDS	E	*	DX(FR+RR)
G4B	TIRE AND DISC WHEEL	D		7.50R16-8(E) 5.50F
A3C	FIRE EXTINGUISHER	1		WITHOUT
D4F	HIGH ALTITUDE COMPENSATOR	В	*	WITH
P4A	AIR CONDITIONER	В	*	WITH
G4J	SPARE WHEEL CARRIER	G		FRAME WIND-UP + LOCK
0.0	MODEL YEAR	K	*	19 MODEL
A2A	OWNERS MANUAL	F	*	DUAL
L7D	HIGH MOUNT STOP LAMP	ı		WITHOUT
A5D	REGULATION COMPLIANCE LABEL	E		GENERAL NAME PLATE
B4A	CKD PACKAGE	<u> </u>		WITHOUT
взк	BODY PROTECTION FILM	E		WRAP GUARD
L6C	HEADLAMP LEVELING	I		WITHOUT
T5W	BACK (OUTSIDE) BUZZER	ı		WITHOUT
K6D	MODEL SYMBOL MARK	В	*	WITH
D6C	FUEL HEATER	<u> </u>		WITHOUT
R5A	AIR BAG SYSTEM	С	*	WITH(D+P)
G3H	ABS	В	*	WITH (ACT DRY)
A5E	AIR-BAG CAUTION LABEL	C	*	ENGLISH +FRENCH
T2F	ACCESSORY CONNECTOR	I		WITHOUT
L2C	WIRELESS DOOR LOCK	В	*	WITH
U1E	ANTENNA	В	*	WITH(MANUAL)
K2A	FRONT GRILLE	В		MATERIAL COLOR
A5L	BATTERY CAUTION LABEL	I		WITHOUT
K6E	GRADE MARK	ı		WITHOUT
N1D	SUN VISOR	В		STANDARD
N2B	DOOR TRIM	В		FOR STD
N4A	FLOOR CARPET AND MAT	D		VINYL+SILENCER(FR+CTR+RR)
R1J	FRONT HEADREST	В		D+P SMALL VINYL
G2E	STABILIZER	С		BOTH FR & RR
E2A	FRONT DIFFERENTIAL	C		4.300 2P
K1B	FRONT BUMPER	E	*	EXTENSION 136MM MOLDING
K6H	DISPLACEMENT MARK	ı		WITHOUT
L7B	LICENSE PLATE LAMP	В		STANDARD TYPE
J4M	TRANSMISSION PROTECTOR	ı		WITHOUT
B3M	ANTI-THEFT SYSTEM	i		WITHOUT
		<u> </u>	<u> </u>	

KEE         REAR WINDOW MOULDING         I         WITHOUT           D6A         FUEL PUMP         D         * WE STANDARD + ACS           T3C         TACHOMETER         I         MITHOUT           T3C         TACHOMETER         I         MITHOUT           T3L         OLTAGE METER         B         MARNING LAMP           T3L         OLD RESSURE METER         B         MARNING LAMP           D0D DOR AMM REST         C         * F. RLARGE TYPE           PCC         REAR CONSOLE BOX         I         MITHOUT           R2L         MALKIN SYSTEM         I         MITHOUT           R2L         MALKIN SYSTEM         I         MITHOUT           R2L         MALKIN SYSTEM         I         MITHOUT           R4A         FRONT SEAT BELT         B         ELR3-2-3(BENCH)           J4K         WIELL HOUSE COVER         I         MITHOUT           J4K         W	J1N	SIDE AND RR STEP	l c		STEEL
GOOF DRIP MOULDING					
DATE   CALLY DOWNER	K4G	ROOF DRIP MOULDING	1		
TAIL   MOLTAGE METER	D6A	FUEL PUMP	D	*	VE STANDARD + ACS
DIL PRESSURE METER	T3C	TACHOMETER	I		WITHOUT
NZD   DOOR ARM REST   C	T3K	VOLTAGE METER	В		WARNING LAMP
DOLF NOW   DOLF NOW   DOLF NOW	T3L	OIL PRESSURE METER	В		WARNING LAMP
P.C.   REAR CONSOLE BOX	N2D	DOOR ARM REST	С	*	FR LARGE TYPE
R25	P2C	REAR CONSOLE BOX	I		WITHOUT
R2S SEAT BACK POCKET R4A FRONT SEAT BELT B SELTS-2:S[BENCH)  AKHEL HOUSE COVER I MITHOUT  LZF DOOR INSIDE HANDLE B DOR I, PA 1  R2F DOOR INSIDE HANDLE B DOR I, PA 1  R2F R2S COLOR BOAD  R3F TRAY B R1 (W/LAMP)  R3F TRAY B R1 (W/LAMP)  R3F TRAY B R1 (W/LAMP)  R3F TRAY B R1 R1 (W/LAMP)  R3F TRAY B R1 R2 SKW  R3F TRAY B R1 R1 (W/LAMP)  R3F TRAY R3	R2A	FRONT SEAT SLIDE	Н		D:195MM P:135MM(BENCH)
RAMA	R2J	WALK-IN SYSTEM	I		WITHOUT
JAK	R2S	SEAT BACK POCKET	1		WITHOUT
DOOR INSIDE HANDLE	R4A	FRONT SEAT BELT	В		ELR3-2-3(BENCH)
N2K	J4K	WHEEL HOUSE COVER	I		WITHOUT
NAME   CALASTER TRIM	L2F	DOOR INSIDE HANDLE	В		DR 1, PA 1
ASH TRAY	N1B	ASSIST GRIP	E	*	FR 3
R1K         REAR HEADREST         I         WITHOUT           T1J         STARTER         D         R-2-SKW           EIK         MVD TRANSFER LEVER AND KNOB         C         4 POSITION           ASC         L.S.P.V. MARKING LABEL         I         WITHOUT           A6J         FUEL CONSUMPTION PER. LABEL         I         WITHOUT           L7E         REAR FOG LAMP         I         WITHOUT           L7E         REAR FOG LAMP         I         WITHOUT           L8D         NISIDE REAR VIEW MIRROR         B         DAY&NIGHT(GENERAL)           J1L         OVER FENDER         I         WITHOUT           NGK         NSTRUMENT PANEL UPPER TRAY         I         WITHOUT           NGK         NSTRUMENT PANEL ASSIST GRIP         I         WITHOUT           A3D         CLARE AND PLASHLIGHT         I         WITHOUT           A4D         DAYERSEA BASIC SET         WITHOUT           A4B         BLOX COLOR         B         MONOTONE           A5B         ENIGNE SERVICE INFO. LABEL         C         DIESEL           A5F         EMISSION         I         EURO2           A5F         EMISSION         I         WITHOUT           <	N2K	QUARTER TRIM	С		COLOR BOAD
STARTER	P1G	ASH TRAY	В		FR 1 (W/LAMP)
STARTER	R1K	REAR HEADREST	1		WITHOUT
E1K         AWD TRANSFER LEVER AND KNOB         C         4 POSITION           ASC         L.S.P.V. MARKING LABEL         I         MITHOUT           A61         FUEL CONSUMPTION PER LABEL         I         MITHOUT           L7A         REAR COMBINATION LAMP         B         FOR 2DOOR VAN           L7E         REAR FOG LAMP         I         MITHOUT           L8B         INSIDE REAR VIEW MIRROR         B         DAY&INGHT(GENERAL)           J1L         OVER FENDER         I         MITHOUT           NGK         INSTRUMENT PANEL UPPER TRAY         I         * WITHOUT           ADD         TOOL(FACTORY INSTALLATION)         B         OVERSEA BASIC SET           A3D         FLARE AND FLASHLIGHT         I         MITHOUT           A4A         BLACK OUT         I         MITHOUT           A4B         BOY COLOR         B         MONOTONE           A5B         ENGINE SERVICE INFO. LABEL         C         DIESEL           A5F         EMISSION         I         EURO2           A5F         EMISSION         I         WITHOUT           A5F         EMISSION         I         WITHOUT           A5R         FUEL CONSUMPTION STICKER         I	T1J	STARTER	D		
AGJ			С		
AGJ			+		WITHOUT
L7A         REAR COMBINATION LAMP         B         FOR 2DOOR VAN           L7E         REAR FOG LAMP         I         WITHOUT           L8B         NSIDE REAR VIEW MIRROR         B         DAY&NIGHT(GENERAL)           J11         OVER FENDER         I         WITHOUT           N6K         INSTRUMENT PANEL UPPER TRAY         I         * WITHOUT           N6K         INSTRUMENT PANEL UPPER TRAY         I         * WITHOUT           N6K         INSTRUMENT PANEL ASSIST GRIP         I         * WITHOUT           A2D         TOCK/FECTOR VINSTALLATION)         B         OVERSEA BASIC SET           A3D         FLARE AND FLASHLIGHT         I         WITHOUT           A4A         BLACK OUT         I         WITHOUT           A4B         BODY COLOR         B         MONOTONE           A5B         ENGINE SERVICE INFO. LABEL         C         DIESEL           A5B         ENGINE SERVICE INFO. LABEL         C         DIESEL           A5B         ENGINE SERVICE INFO. LABEL         C         DIESEL           A5B         ENGINE SERVICE INFO. LABEL         I         WITHOUT           B3D         SPECIAL NOISE INSULATOR         I         WITHOUT           B3B <t< td=""><td></td><td>FUEL CONSUMPTION PER. LABEL</td><td>ı</td><td></td><td></td></t<>		FUEL CONSUMPTION PER. LABEL	ı		
L7E					
NSIDE REAR VIEW MIRROR					
JIL   OVER FENDER					
NSTRUMENT PANEL UPPER TRAY			†		·
P1				*	
A2D   TOOL(FACTORY INSTALLATION)   B			1	*	
FLARE AND FLASHLIGHT	A2D	TOOL(FACTORY INSTALLATION)	В		OVERSEA BASIC SET
A4B BODY COLOR B MONOTONE A5B ENGINE SERVICE INFO. LABEL C DIESEL A5F EMISSION I EURO2 A5M FUEL CAUTION LABEL I MITHOUT A5R FUEL CONSUMPTION STICKER I MITHOUT B3D SPECIAL NOISE INSULATOR I MITHOUT B3E BODY RUST PROTECTION F AREA 2,3 B3F ANTI-PROJECTION MEASURES I MITHOUT D1A ENGINE B IHZ D1B CRANK PULLEY DAMPER B IHZ 3 STEP D2A RADIATOR H S14.4X560X48 FP=3.5 D2D ENGINE OIL COOLER D FOR 1HZ 5 STEP D2E FAN AND COUPLING E A70X8 10000CST 3STEP D2F THERMOSTAT B 76DEG(C) D3E EXHAUST EMISSION CONTROL I MITHOUT D3F CATALYTIC CONVERTER I MITHOUT D4A GNITION SYSTEM I MITHOUT D4A GNITION SYSTEM I MITHOUT D4A CRUISE CONTROL B MITHOUT D4A CRUISE CONTROL I MITHOUT D4A CRUISE CONTROL I MITHOUT D4A CRUISE CONTROL I MITHOUT D4A OXYGEN SENSOR I MITHOUT	A3D	FLARE AND FLASHLIGHT	I		WITHOUT
ASB					<u> </u>
A5F   EMISSION   I	A4A	BLACK OUT	1		WITHOUT
FUEL CAUTION LABEL I WITHOUT  ASR FUEL CONSUMPTION STICKER I WITHOUT  B3D SPECIAL NOISE INSULATOR I WITHOUT  B3E BODY RUST PROTECTION F AREA 2,3  B3F ANTI-PROJECTION MEASURES I WITHOUT  D1A ENGINE B 1HZ  D1B CRANK PULLEY DAMPER B 1HZ  D2A RADIATOR H 514.4X560X48 FP=3.5  D2D ENGINE OIL COOLER D FOR 1HZ 5 STEP  D2E FAN AND COUPLING E 470X8 10000CST 3STEP  D2F THERMOSTAT B 76DEG(C)  D3E EXHAUST EMISSION CONTROL I WITHOUT  D3F CATALYTIC CONVERTER I WITHOUT  D4A IGNITION SYSTEM I WITHOUT  D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT)  D4K ACCELERATOR PEDAL B CABLE TYPE  D4M CRUISE CONTROL I WITHOUT  D4R OXYGEN SENSOR I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT  D4R OXYGEN SENSOR I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT					
ASR FUEL CONSUMPTION STICKER I WITHOUT  B3D SPECIAL NOISE INSULATOR I WITHOUT  B3E BODY RUST PROTECTION F AREA 2,3  B3F ANTI-PROJECTION MEASURES I WITHOUT  D1A ENGINE B 1HZ  D1B CRANK PULLEY DAMPER B 1HZ 3 STEP  D2A RADIATOR H 514.4X560X48 FP=3.5  D2D ENGINE OIL COOLER D FOR 1HZ 5 STEP  D2E FAN AND COUPLING E 470X8 10000CST 3STEP  D2F THERMOSTAT B 76DEG(C)  D3E EXHAUST EMISSION CONTROL I WITHOUT  D3K MUFFLER B MAIN 23L ONLY  D4A IGNITION SYSTEM I WITHOUT  D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT)  D4K ACCELERATOR PEDAL B CABLE TYPE  D4M OXYGEN SENSOR I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT	A4B	BODY COLOR	В		MONOTONE
B3D SPECIAL NOISE INSULATOR I WITHOUT B3E BODY RUST PROTECTION F AREA 2,3 B3F ANTI-PROJECTION MEASURES I WITHOUT D1A ENGINE B 1HZ D1B CRANK PULLEY DAMPER B 1HZ 3 STEP D2A RADIATOR H 514.4X560X48 FP=3.5 D2D ENGINE OIL COOLER D FOR 1HZ 5 STEP D2E FAN AND COUPLING E 470X8 10000CST 3STEP D2F THERMOSTAT B 76DEG(C) D3E EXHAUST EMISSION CONTROL I WITHOUT D3F CATALYTIC CONVERTER I WITHOUT D3K MUFFLER B MAIN 23L ONLY D4A IGNITION SYSTEM I WITHOUT D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT) D4K ACCELERATOR PEDAL B CABLE TYPE D4N CRUISE CONTROL I WITHOUT D4R OXYGEN SENSOR I WITHOUT D4R OXYGEN SENSOR I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B	BODY COLOR ENGINE SERVICE INFO. LABEL	B C		MONOTONE DIESEL
B3E BODY RUST PROTECTION F AREA 2,3 B3F ANTI-PROJECTION MEASURES I WITHOUT D1A ENGINE B 1HZ D1B CRANK PULLEY DAMPER B 1HZ 3 STEP D2A RADIATOR H 514.4X560X48 FP=3.5 D2D ENGINE OIL COOLER D FOR 1HZ 5 STEP D2E FAN AND COUPLING E 470X8 10000CST 3STEP D2F THERMOSTAT B 76DEG(C) D3E EXHAUST EMISSION CONTROL I WITHOUT D3F CATALYTIC CONVERTER I WITHOUT D3K MUFFLER B MAIN 23L ONLY D4A IGNITION SYSTEM I WITHOUT D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT) D4G MANUAL IDLING CONTROL B WITHOUT D4K ACCELERATOR PEDAL B CABLE TYPE D4N CRUISE CONTROL I WITHOUT D4R DXYGEN SENSOR I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION	В С I		MONOTONE DIESEL EURO2
B3F ANTI-PROJECTION MEASURES I WITHOUT D1A ENGINE B 1HZ D1B CRANK PULLEY DAMPER B 1HZ 3 STEP D2A RADIATOR H 514.4X560X48 FP=3.5 D2D ENGINE OIL COOLER D FOR 1HZ 5 STEP D2E FAN AND COUPLING E 470X8 10000CST 3STEP D2F THERMOSTAT B 76DEG(C) D3E EXHAUST EMISSION CONTROL I WITHOUT D3F CATALYTIC CONVERTER I WITHOUT D3K MUFFLER B MAIN 23L ONLY D4A IGNITION SYSTEM I WITHOUT D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT) D4K ACCELERATOR PEDAL B CABLE TYPE D4N CRUISE CONTROL I WITHOUT D4R OXYGEN SENSOR I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL	B C I		MONOTONE DIESEL EURO2 WITHOUT
D1A ENGINE B 1HZ  D1B CRANK PULLEY DAMPER B 1HZ 3 STEP  D2A RADIATOR H 514.4X560X48 FP=3.5  D2D ENGINE OIL COOLER D FOR 1HZ 5 STEP  D2E FAN AND COUPLING E 470X8 10000CST 3STEP  D2F THERMOSTAT B 76DEG(C)  D3E EXHAUST EMISSION CONTROL I WITHOUT  D3F CATALYTIC CONVERTER I WITHOUT  D3K MUFFLER B MAIN 23L ONLY  D4A IGNITION SYSTEM I WITHOUT  D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT)  D4G MANUAL IDLING CONTROL B WITHOUT  D4K ACCELERATOR PEDAL B CABLE TYPE  D4N CRUISE CONTROL I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER	B C I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT
D1B CRANK PULLEY DAMPER B 1HZ 3 STEP  D2A RADIATOR H 514.4X560X48 FP=3.5  D2D ENGINE OIL COOLER D FOR 1HZ 5 STEP  D2E FAN AND COUPLING E 470X8 10000CST 3STEP  D2F THERMOSTAT B 76DEG(C)  D3E EXHAUST EMISSION CONTROL I WITHOUT  D3F CATALYTIC CONVERTER I WITHOUT  D3K MUFFLER B MAIN 23L ONLY  D4A IGNITION SYSTEM I WITHOUT  D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT)  D4G MANUAL IDLING CONTROL B WITHOUT  D4K ACCELERATOR PEDAL B CABLE TYPE  D4N CRUISE CONTROL I WITHOUT  D4R OXYGEN SENSOR I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR	B C I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT
D2A RADIATOR H 514.4X560X48 FP=3.5  D2D ENGINE OIL COOLER D FOR 1HZ 5 STEP  D2E FAN AND COUPLING E 470X8 10000CST 3STEP  D2F THERMOSTAT B 76DEG(C)  D3E EXHAUST EMISSION CONTROL I WITHOUT  D3F CATALYTIC CONVERTER I WITHOUT  D3K MUFFLER B MAIN 23L ONLY  D4A IGNITION SYSTEM I WITHOUT  D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT)  D4G MANUAL IDLING CONTROL B WITH(DIAL TYPE)  D4K ACCELERATOR PEDAL B CABLE TYPE  D4N CRUISE CONTROL I WITHOUT  D4R OXYGEN SENSOR I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION	B C I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3
D2D ENGINE OIL COOLER D FOR 1HZ 5 STEP D2E FAN AND COUPLING E 470X8 10000CST 3STEP D2F THERMOSTAT B 76DEG(C) D3E EXHAUST EMISSION CONTROL I WITHOUT D3F CATALYTIC CONVERTER I WITHOUT D3K MUFFLER B MAIN 23L ONLY D4A IGNITION SYSTEM I WITHOUT D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT) D4G MANUAL IDLING CONTROL B WITH(DIAL TYPE) D4K ACCELERATOR PEDAL B CABLE TYPE D4N CRUISE CONTROL I WITHOUT D4R OXYGEN SENSOR I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES	B C I I F I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT
D2E FAN AND COUPLING E 470X8 10000CST 3STEP  D2F THERMOSTAT B 76DEG(C)  D3E EXHAUST EMISSION CONTROL I WITHOUT  D3F CATALYTIC CONVERTER I WITHOUT  D3K MUFFLER B MAIN 23L ONLY  D4A IGNITION SYSTEM I WITHOUT  D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT)  D4G MANUAL IDLING CONTROL B WITH(DIAL TYPE)  D4K ACCELERATOR PEDAL B CABLE TYPE  D4N CRUISE CONTROL I WITHOUT  D4R OXYGEN SENSOR I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE	B C I I I F F I B		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ
D2F THERMOSTAT B 76DEG(C) D3E EXHAUST EMISSION CONTROL I WITHOUT D3F CATALYTIC CONVERTER I WITHOUT D3K MUFFLER B MAIN 23L ONLY D4A IGNITION SYSTEM I WITHOUT D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT) D4G MANUAL IDLING CONTROL B WITH(DIAL TYPE) D4K ACCELERATOR PEDAL B CABLE TYPE D4N CRUISE CONTROL I WITHOUT D4R OXYGEN SENSOR I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER	B C I I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP
D3E EXHAUST EMISSION CONTROL I WITHOUT D3F CATALYTIC CONVERTER I WITHOUT D3K MUFFLER B MAIN 23L ONLY D4A IGNITION SYSTEM I WITHOUT D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT) D4G MANUAL IDLING CONTROL B WITH(DIAL TYPE) D4K ACCELERATOR PEDAL B CABLE TYPE D4N CRUISE CONTROL I WITHOUT D4R OXYGEN SENSOR I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR	B C I I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5
D3F CATALYTIC CONVERTER I WITHOUT D3K MUFFLER B MAIN 23L ONLY D4A IGNITION SYSTEM I WITHOUT D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT) D4G MANUAL IDLING CONTROL B WITH(DIAL TYPE) D4K ACCELERATOR PEDAL B CABLE TYPE D4N CRUISE CONTROL I WITHOUT D4R OXYGEN SENSOR I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER	B C I I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP
D3K MUFFLER B MAIN 23L ONLY  D4A IGNITION SYSTEM I WITHOUT  D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT)  D4G MANUAL IDLING CONTROL B WITH(DIAL TYPE)  D4K ACCELERATOR PEDAL B CABLE TYPE  D4N CRUISE CONTROL I WITHOUT  D4R OXYGEN SENSOR I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING	B C I I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP
D4A IGNITION SYSTEM I WITHOUT D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT) D4G MANUAL IDLING CONTROL B WITH(DIAL TYPE) D4K ACCELERATOR PEDAL B CABLE TYPE D4N CRUISE CONTROL I WITHOUT D4R OXYGEN SENSOR I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT	B C C I I I I I I I I I I I I I I I I I		MONOTONE DIESEL  EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C)
D4C GLOW PLUG AND INTAKE HEATER B AUTO-CONTROL (QUICK-HEAT) D4G MANUAL IDLING CONTROL B WITH(DIAL TYPE) D4K ACCELERATOR PEDAL B CABLE TYPE D4N CRUISE CONTROL I WITHOUT D4R OXYGEN SENSOR I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL	B C C I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT
D4G MANUAL IDLING CONTROL B WITH(DIAL TYPE)  D4K ACCELERATOR PEDAL B CABLE TYPE  D4N CRUISE CONTROL I WITHOUT  D4R OXYGEN SENSOR I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER	B C C I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT
D4K ACCELERATOR PEDAL B CABLE TYPE D4N CRUISE CONTROL I WITHOUT D4R OXYGEN SENSOR I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER	B C C I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT MAIN 23L ONLY
D4N CRUISE CONTROL I WITHOUT  D4R OXYGEN SENSOR I WITHOUT  D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM	B C C I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT
D4R OXYGEN SENSOR I WITHOUT D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER	B C C I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT)
D4T POWER CONTROL SYSTEM I WITHOUT	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER MANUAL IDLING CONTROL	B C C I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT) WITH(DIAL TYPE)
	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4K	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER MANUAL IDLING CONTROL ACCELERATOR PEDAL	B C C I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT) WITH(DIAL TYPE) CABLE TYPE
D6B FUEL FILTER B FOR DIESEL (1HZ)	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4K D4N	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER MANUAL IDLING CONTROL ACCELERATOR PEDAL CRUISE CONTROL	B C C I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT) WITH(DIAL TYPE) CABLE TYPE
	A4B A5B A5F A5M A5R B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4C D4G D4K D4N D4R	BODY COLOR ENGINE SERVICE INFO. LABEL EMISSION FUEL CAUTION LABEL FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER MANUAL IDLING CONTROL ACCELERATOR PEDAL CRUISE CONTROL OXYGEN SENSOR	B C C I I I I I I I I I I I I I I I I I		MONOTONE DIESEL EURO2 WITHOUT WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT WITHOUT WITHOUT MAIN 23L ONLY WITHOUT AUTO-CONTROL (QUICK-HEAT) WITHOUT WITHOUT WITHOUT WITHOUT WITHOUT AUTO-CANTROL (QUICK-HEAT) WITHOUT

DEC	D6D	FUEL SEDIMENTER	С	WITH (WITH BUZZER WARNING
DISK         EVAPORATIVE SYSTEM         I         MITHOUT           DER         FUEL COOLER         I         MITHOUT           DER         FUEL COOLER         I         MITHOUT           E1A         TRANSMISSION         B         SMYT RESTE           E1E         ELUTCH         B         I.1 INCHES           E1F         ELUTCH PEDAL         D         TURN OVER SEN W/O SW           E1F         ELUTCH REDAL         D         TURN OVER SEN W/O SW           E1 SHEF ILEVER AND KNOB         B         JURETHANE           GLC         POWER STEERING         B         WITH P.S.           GLC         POWER STEERING         B         WITH P.S.           GLO         POWER STEERING         B         WITH P.S.           GAZD         SHOCK ABSORBER         B         STANDARD           GSAD         REAR WHEEL BRAKE         B         STE21(332Y)           GSB         BRAKE VACUUM PUMP         B         SP8EV           GSF         BRAKE VACUUM PUMP         B         WITH P.S.           GSJ         BRAKE VACUUM PUMP B         B         WITH P.S.           GJ         VACUUM TANK         B         O.S.E.           GJ         V				
DEN				
DER				
TRANSMISSION				
ELE         ELUTCH         B         \$\frac{1}{1}\text{INCHES}\$           EIF         CLUTCH PEDAL         D         PUND OVER 28N W/O SW           ELI         SHIFT LEVER AND KNOB         B         JRETHANE           GLA         SHERRING COLUMN         C         PUTH INDEPENDENCE           GLA         STERRING COLUMN         C         PUTH THE LESCO-COLLAPSIBLE           GLO         POWER STEERING         B         WITH P.S           G3A         FRONT WHEEL BRAKE         B         STANDARD           G3B         REAR WHEEL BRAKE         B         D. DUM 29SLT           G3B         BRAKE CONITROL VALVE         B         LSP82W           G3F         BRAKE MYCLUMD PUMP         B         MITH           G3F         BRAKE MYCLINDRE AND BOOSTER         B         2.3.81MM 9 BOOSTER           G3B         BRAKE MYCLINDRE AND BOOSTER         B         D.5L           G3B         BRAKE MYCLINDRE AND BOOSTER         B         D.5L           G3B         BRAKE MYCLINDRE AND BOOSTER         B         D.5L           G3B         BRAKE MYCLINDRE AND BOOSTER         B         D.ST.           G3B         BRAKE MYCLINDRE COVER         B         D.ST.           G3B <t< td=""><td></td><td></td><td></td><td></td></t<>				
ELF  ELUTCH ACCUMULATOR  C WITH INDEPENDENCE  SHET LEVER AND KNOB  B JEETHANE  STEERING COLUMN  C ITLT-TELESCO-FOCLLAPSIBLE  G1A  STEERING COLUMN  C ITLT-TELESCO-FOCLLAPSIBLE  G1C  POWER STEERING  B WITH P.S.  SHOCK ABSORBER  B STANDARD  SHOCK ABSORBER  B STANDARD  SHOCK ABSORBER  B STANDARD  SHOWN ASSERT SHOWN  G3B  REAR WHEEL BRAKE  B DRUM 295LT  SHOWN ASSERT  G3B  BRAKE CONTROL VALVE  B SSRBW  MTH  G3B  BRAKE WCULUM PUMP  B WITH  G3B  BRAKE WCULUM FUMP  B WITH  G3B  BRAKE WCULUM BRAW  B D.S.L  LONG  HOOD REST BLOCK  I WITHOUT  H LUGGAGE AND BACK DOOR  B WAN FIXED GLASS  HAN BRAKE  B SAR WITH SHOWN  H WITHOUT  H LUGGAGE AND BACK DOOR  B WAN FIXED GLASS  HAN BRAKE  B WITH SHOWN  H WITHOUT  H RANSER PROTECTOR  B WITH  H WITHOUT  H RANSER PROTECTOR  B WITH  TRANSER PROTECTOR  B WITHOUT  H TRANSER PROTECTOR  B WITH  TRANSER PROTECTOR  B WITHOUT  H TRANSER PROTECTOR  B WITH  TRANSER PROTECTOR  B WITH  TRANSER PROTECTOR  B WITHOUT  H WITHOU				
ELH  ELITOH ACCUMULATOR  EJ SHIFT LEVER AND KNOB  B JURETHANE  JUR				
SHIFT LEVER AND KNOB				
STEERING COLUMN				
STANDARD				
SHOCK ABSORBER				
G3A				
BEAR WHEEL BRAKE				
BRAKE CONTROL VALVE				
BRAKE VACUUM PUMP				
BRAKE M/CYLINDER AND BOOSTER   B				
STATE   STAT				
11A		· · · · · · · · · · · · · · · · · · ·		
JIC		VACUUM TANK		
11H		FRAME	E	LONG
11W   ROLL BAR	J1C	HOOD REST BLOCK	I	WITHOUT
SIDE GLASS	J1H	LUGGAGE AND BACK DOOR	В	VAN FIXED GLASS
JAB	J1W	ROLL BAR	I	WITHOUT
TRANSFER PROTECTOR	J3C	SIDE GLASS	В	GREEN
JSA	J4B	E/G UNDER COVER AND PROTECTOR	В	WITH
JSB	J4N	TRANSFER PROTECTOR	В	WITH(SMALL TYPE)
JSC	J5A	FLOOR SILENCER	В	FR UNDER FOOT AREA
TRANSPORT HOOK	J5B	HOOD SILENCER	I	WITHOUT
J7C   DECK HOOK	J5C	DASH SILENCER	В	INTERIOR
K4A         WINDSHIELD MOULDING         I         WITHOUT           K6B         MODEL NAME MARK         B         LAND CRUISER           K6K         LOADING CAPACITY MARK         I         WITHOUT           L2D         CHILD PROTECTOR         I         WITHOUT           L2N         FUEL LID OPENER         I         WITHOUT           L2V         KEY PLATE         B         OUTER-GROOVE           L2V         KEY HOLDER         I         WITHOUT           L4A         WINDSHIELD WIPER         B         FIXED           L4D         WIPER BLADE         B         STANDARD TYPE           L4F         WASHER TANK         E         STADJL(1HZ,1VD,1GR)           L5A         ROOM LAMP         C         FR 1 + RR 1           L6A         HEADLAMP         B         Z HALOGEN           L6F         HEADLAMP         B         WITHOUT           L6G         CLEARANCE LAMP         B         WITH HEAD LANP 1BODY           L6H         FRONT TURN SIGNAL LAMP         B         WITH HEAD LANP 1BODY           L6H         DAYTIME RUNNING LIGHT SYSTEM         I         WITHOUT           L7F         SIDE TURN SIGNAL LAMP         I         WITHOUT	J7B	TRANSPORT HOOK	В	FR 2
K6B MODEL NAME MARK B LAND CRUISER K6K LOADING CAPACITY MARK I WITHOUT L2D CHILD PROTECTOR I WITHOUT L2D CHILD PROTECTOR I WITHOUT L2D KEY PLATE B OUTER-GROOVE L2V KEY HOLDER I WITHOUT L4A WINDSHIELD WIPER B FIXED L4A WIPER BLADE B STANDARD TYPE L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR) L5A ROOM LAMP C FR 1 WITHOUT L6A HEADLAMP B ZHALOGEN L6F HEADLAMP B ZHALOGEN L6F HEADLAMP B WITH HEAD LANP 1BODY L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT L7F SIDE TURN SIGNAL LAMP I WITHOUT L7R EMERGENCY STOP SIGNAL I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT N1A ROOF HEAD LINING E BORD HIDLING+FR HEADER GNS N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC) N2P FRONT PILLAR GARNISH I WITHOUT N2T ROOF SIDE INNER GARNISH I WITHOUT N2T ROOF SIDE INNER GARNISH I WITHOUT N2T ROOF SIDE INNER GARNISH I WITHOUT N4G FOOT REST	J7C	DECK HOOK	I	WITHOUT
K6K LOADING CAPACITY MARK  L2D CHILD PROTECTOR  I WITHOUT  L2D CHILD PROTECTOR  I WITHOUT  L2U KEY PLATE B OUTER-GROOVE  L2V KEY HOLDER I WITHOUT  L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C FR 1 + RR 1  L6A HEADLAMP B C FR 1 + RR 1  L6G CLEARANCE LAMP B WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6D FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7R SMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B WITH OUT  N2P FRONT PILLAR GARNISH I WITHOUT  N2P FRONT PILLAR GARNISH I WITHOUT  N2P FRONT PILLAR GARNISH I WITHOUT  N2P FRONT SIGNAL AGARNISH I WITHOUT  N4G FOOT REST WITHOUT  N4THOUT  N	K4A	WINDSHIELD MOULDING	I	WITHOUT
K6K LOADING CAPACITY MARK  L2D CHILD PROTECTOR  I WITHOUT  L2D CHILD PROTECTOR  I WITHOUT  L2U KEY PLATE B OUTER-GROOVE  L2V KEY HOLDER I WITHOUT  L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C FR 1 + RR 1  L6A HEADLAMP B C FR 1 + RR 1  L6G CLEARANCE LAMP B WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6D FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7R SMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B WITH OUT  N2P FRONT PILLAR GARNISH I WITHOUT  N2P FRONT PILLAR GARNISH I WITHOUT  N2P FRONT PILLAR GARNISH I WITHOUT  N2P FRONT SIGNAL AGARNISH I WITHOUT  N4G FOOT REST WITHOUT  N4THOUT  N	K6B	MODEL NAME MARK	В	LAND CRUISER
L2D CHILD PROTECTOR I WITHOUT  L2N FUEL LID OPENER I WITHOUT  L2U KEY PLATE B OUTER-GROOVE  L2V KEY HOLDER I WITHOUT  L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C FR 1 RR 1  L6A HEADLAMP B A 2 HALOGEN  L6F HEADLAMP B WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HOLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST	к6к	LOADING CAPACITY MARK	ı	
L2N FUEL LID OPENER I WITHOUT  L2U KEY PLATE B OUTER-GROOVE  L2V KEY HOLDER I WITHOUT  L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C FR 1 + RR 1  L6A HEADLAMP B Z HALOGEN  L6F HEADLAMP B WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH I WITHOUT  N1C ROOF SIDE INNER GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITHOUT				
L2U KEY PLATE B OUTER-GROOVE  L2V KEY HOLDER I WITHOUT  L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C FR 1 + RR 1  L6A HEADLAMP B Z HALOGEN  L6F HEADLAMP B WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH I WITHOUT  N1C ROOF SIDE INNER GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITHOUT				
L2V KEY HOLDER I WITHOUT  L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C C FR 1 + RR 1  L6A HEADLAMP B 2 HALOGEN  L6F HEADLAMP B WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6J FRONT SIGNAL LAMP I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HOLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITHOUT  N4G FOOT REST				
L4A WINDSHIELD WIPER B FIXED  L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C C FR 1 + RR 1  L6A HEADLAMP B 2 HALOGEN  L6F HEADLAMP CLEANER I WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITH				
L4D WIPER BLADE B STANDARD TYPE  L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C C FR 1 + RR 1  L6A HEADLAMP B D 2 HALOGEN  L6F HEADLAMP CLEANER I WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITH				
L4F WASHER TANK E STD 3.0L(1HZ,1VD,1GR)  L5A ROOM LAMP C C FR 1 + RR 1  L6A HEADLAMP B 2 HALOGEN  L6F HEADLAMP CLEANER I WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM (BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITH				
L5A ROOM LAMP C C FR 1 + RR 1  L6A HEADLAMP B 2 HALOGEN  L6F HEADLAMP CLEANER I WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITH				
L6A HEADLAMP B 2 HALOGEN  L6F HEADLAMP CLEANER I WITHOUT  L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY  L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY  L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITHOUT  N2R CENTER PILLAR GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITH				
L6F HEADLAMP CLEANER I WITHOUT L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT L7F SIDE TURN SIGNAL LAMP I WITHOUT L7N EMERGENCY STOP SIGNAL I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC) N2P FRONT PILLAR GARNISH B WITHOUT N2R CENTER PILLAR GARNISH I WITHOUT N2T ROOF SIDE INNER GARNISH I WITHOUT N4G FOOT REST B WITH				
L6G CLEARANCE LAMP B WITH HEAD LANP 1BODY L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT L7F SIDE TURN SIGNAL LAMP I WITHOUT L7N EMERGENCY STOP SIGNAL I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC) N2P FRONT PILLAR GARNISH B WITHOUT N2R CENTER PILLAR GARNISH I WITHOUT N2T ROOF SIDE INNER GARNISH I WITHOUT N4G FOOT REST B WITH				
L6J FRONT TURN SIGNAL LAMP B WITH HEAD LANP 1BODY L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT L7F SIDE TURN SIGNAL LAMP I WITHOUT L7N EMERGENCY STOP SIGNAL I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC) N2P FRONT PILLAR GARNISH B WITH(RESIN) N2R CENTER PILLAR GARNISH I WITHOUT N2T ROOF SIDE INNER GARNISH I WITHOUT N4G FOOT REST B WITH				
L6N DAYTIME RUNNING LIGHT SYSTEM I WITHOUT  L7F SIDE TURN SIGNAL LAMP I WITHOUT  L7N EMERGENCY STOP SIGNAL I WITHOUT  L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH(RESIN)  N2R CENTER PILLAR GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITH				
L7F SIDE TURN SIGNAL LAMP I WITHOUT L7N EMERGENCY STOP SIGNAL I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC) N2P FRONT PILLAR GARNISH B WITH(RESIN) N2R CENTER PILLAR GARNISH I WITHOUT N2T ROOF SIDE INNER GARNISH I WITHOUT N4G FOOT REST B WITH				
L7N EMERGENCY STOP SIGNAL I WITHOUT L8C FRONT AND SIDE UNDER MIRROR I WITHOUT N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC) N2P FRONT PILLAR GARNISH B WITH(RESIN) N2R CENTER PILLAR GARNISH I WITHOUT N2T ROOF SIDE INNER GARNISH I WITHOUT N4G FOOT REST B WITH				
L8C FRONT AND SIDE UNDER MIRROR I WITHOUT  N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS  N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH(RESIN)  N2R CENTER PILLAR GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITH				
N1A ROOF HEAD LINING E BORD HDLNG+FR HEADER GNS N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC) N2P FRONT PILLAR GARNISH B WITH(RESIN) N2R CENTER PILLAR GARNISH I WITHOUT N2T ROOF SIDE INNER GARNISH I WITHOUT N4G FOOT REST B WITH				
N2M LUGGAGE DR AND BACK DR TRIM B SEMI TRIM(BOAD+PVC)  N2P FRONT PILLAR GARNISH B WITH(RESIN)  N2R CENTER PILLAR GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITH				
N2P FRONT PILLAR GARNISH B WITH(RESIN)  N2R CENTER PILLAR GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITH				
N2R CENTER PILLAR GARNISH I WITHOUT  N2T ROOF SIDE INNER GARNISH I WITHOUT  N4G FOOT REST B WITH		LUGGAGE DR AND BACK DR TRIM	В	SEMI TRIM(BOAD+PVC)
N2T ROOF SIDE INNER GARNISH I WITHOUT N4G FOOT REST B WITH	N2P	FRONT PILLAR GARNISH	В	WITH(RESIN)
N4G FOOT REST B WITH	N2R	CENTER PILLAR GARNISH	I	WITHOUT
	N2T	ROOF SIDE INNER GARNISH	I	WITHOUT
P1H CIGARETTE LIGHTER B WITH (W/ILMNT)	N4G	FOOT REST	В	WITH
	P1H	CIGARETTE LIGHTER	В	WITH (W/ILMNT)

P2B	FRONT CONSOLE BOX	1	WITHOUT
P3M	VENTILATION LOUVER(OUTLET)	В	WITH
R4H	CHILD RESTRAINT SYSTEM	I	WITHOUT
T1A	VOLTAGE	В	12V
T1F	ALTERNATOR	D	K3B-ME 80A
T2C	COMBINATION SWITCH	В	STANDARD TYPE
T3W	METER ILLUMINATION CONTROL	В	WITH
T5C	AIR CLEANER WARNING	I	WITHOUT
	SEAT NUMBERS	I	13
T5E	SEAT BELT WARNING	I	WITHOUT
T5F	SPEED WARNING	I	WITHOUT
T5G	BRAKE WARNING	С	PKB+LEVEL+VACUUM
T5J	DOOR AJAR WARNING	В	WITH(ALL DOOR)
T5K	LIGHT REMIND WARNING	В	WITH(BUZZER)
T5L	KEY REMIND WARNING	I	WITHOUT
T5M	ENGINE OIL LEVEL WARNING	I	WITHOUT
T5S	TIMING BELT MAINTENANCE WARN.	В	WITH
T5T	ENGINE MONITOR WARNING	I	WITHOUT
T5X	TIRE INFLATION PRESS. WARNING	1	WITHOUT
T7A	HORN	С	STANDARD (E MARK )

# US\$ 38.430,- / Euro 32.025,-

Model LC79 SINGLE CABIN 4.2 LITRE DIESEL 6 CYLINDER 1HZ ENGINE

Katashiki HZJ79L-TJMRS

Model 2020

*	TIRE BRAND	Α		UNSPECIFIED
T1B	BATTERY	С		80D26R
G2A	SUSPENSION	В		COIL/LEAF STANDARD
E2B	REAR DIFFERENTIAL	G		4.300 4P
G2K	FREE WHEEL HUB	-		WITHOUT
D3C	AIR CLEANER	С		CYCRON+SCHNORCKEL
L1A	TARPAULIN/HARD TOP	1		WITHOUT
J3A	WINDSHIELD GLASS	В		GREEN LAMINATED
N6F	DOOR POCKET	1		WITHOUT
K1C	REAR BUMPER	J	*	P/U PAINTED+STEP+LICENCE
A4C	BODY STRIPE	-		WITHOUT
L2B	POWER DOOR LOCK	В	*	WITH INTERLOCKED D SEAT
A2K	WINCH	Ι		WITHOUT
K6A	BRAND NAME MARK	1		WITHOUT
J3L	REAR GLASS	В		FIXED
D6L	AUXILIARY FUEL TANK	1		WITHOUT
D6F	FUEL TANK CAPACITY	Н	*	90L B+90L A ON FRAME
G4H	SPARE WHEEL COVER	1		WITHOUT
J1F	FRONT DOOR	В		FIXED W/O TRIANGLE WINDOW
P1F	GLOVE BOX	С		W/O KEY
L6K	FRONT FOG AND DRIVING LAMP	1		WITHOUT
B2B	GRADE PACKAGE	1		WITHOUT
T3A	SPEEDOMETER	В		LOW GRADE KM/H
T3M	CLOCK	В	*	WITH
T2B	WIRE HARNESS FOR TRAILER	Ι		WITHOUT
R1A	FRONT SEAT	В		BENCH SEAT
P3A	HEATER	С	*	FR(AL CORE 36MM)
R1B	REAR SEAT	I		WITHOUT

CUP HOLDER	С		BOTL HOLDER (FOR P/U) + FR BOTL HOLDER
POWER WINDOW	В	*	WITH(D ONE TOUCH DOWN ONL
STEERING WHEEL	D		4 SPOKE URETHANE D390
REAR SEAT BELT	I		WITHOUT
OUTSIDE REAR VIEW MIRROR	С		DOOR D,P ROUND W, E MARK
WASHER FLUID	В		WITH
AUDIO(OVERSEAS MARKET)	W	*	AM/FM CD USB 2SP Y
COLD AREA PACKAGE	1		WITHOUT
ENGINE COOLANT	С		LLC 30%
EMISSION ID PLATE	N		DESTINATION EXCEPT JAPAN
EXPORT	Υ		ETHIOPIA
REAR WINDOW DEFOGGER	I		WITHOUT
SEAT MATERIAL	В		VINYL LEATHER
TRANSFER	В		BF1B DIRECT
SIDE DEFROSTER	I		WITHOUT
WATER TEMPERATURE GAUGE	С	*	WIDE TYPE
TOWING HOOK	M	*	FR CLOSED B 1+RR PINTRE 1
REAR QUARTER GLASS	ı		WITHOUT
INTERMITTENT WIPER	i		WITHOUT
REAR WINDOW WIPER	<u> </u>	+	WITHOUT
ROOF RACK	<u>'</u> I		WITHOUT
MUD GUARDS	В		STANDARD(FR ONLY)
TIRE AND DISC WHEEL	D		· · · · · · · · · · · · · · · · · · ·
			7.50R16-8(E) 5.50F
FIRE EXTINGUISHER	<u> </u>		WITHOUT
HIGH ALTITUDE COMPENSATOR	<u> </u>	*	WITH
AIR CONDITIONER	В		WITH
SPARE WHEEL CARRIER	D	*	DECK FRONT
MODEL YEAR	ı		WITHOUT
OWNERS MANUAL	F	*	DUAL
HIGH MOUNT STOP LAMP	1		WITHOUT
REGULATION COMPLIANCE LABEL	Е		GENERAL NAME PLATE
CKD PACKAGE	I		WITHOUT
BODY PROTECTION FILM	E		WRAP GUARD
HEADLAMP LEVELING	1		WITHOUT
BACK (OUTSIDE) BUZZER	I		WITHOUT
MODEL SYMBOL MARK	В	*	WITH
FUEL HEATER	I		WITHOUT
AIR BAG SYSTEM	В	*	WITH(D+P)
ABS	В	*	WITH (ACT DRY)
AIR-BAG CAUTION LABEL	С	*	ENGLISH +FRENCH
ACCESSORY CONNECTOR	l		WITHOUT
WIRELESS DOOR LOCK	В	*	WITH
ANTENNA	В	*	WITH(MANUAL)
FRONT GRILLE	В		MATERIAL COLOR
BATTERY CAUTION LABEL	ı ı		WITHOUT
GRADE MARK	<u> </u>		WITHOUT
SUN VISOR	<u> </u>		STANDARD
	В		
DOOR TRIM			FOR STD  VINIVI + SII ENCED/ED)
FLOOR CARPET AND MAT	J		VINYL+SILENCER(FR)
FRONT HEADREST	C		D+P LARGE VINYL
STABILIZER	В		FR ONLY
FRONT DIFFERENTIAL	С		4.300 2P
FRONT BUMPER	Е	*	EXTENSION 136MM MOLDING
DISPLACEMENT MARK	I		WITHOUT
LICENSE PLATE LAMP	D	*	ON BUMPER
TRANSMISSION PROTECTOR	E	*	WITH(1HZ SUBTANK BALVE)
			-

	SIDE AND RR STEP	C	STEEL
K4E	REAR WINDOW MOULDING	I	WITHOUT
K4G	ROOF DRIP MOULDING	I	WITHOUT
D6A	FUEL PUMP	В	VE STANDARD
T3C	TACHOMETER	I	WITHOUT
ТЗК	VOLTAGE METER	В	WARNING LAMP
T3L	OIL PRESSURE METER	В	WARNING LAMP
N2D	DOOR ARM REST	С	* FR LARGE TYPE
P2C	REAR CONSOLE BOX	I	WITHOUT
R2A	FRONT SEAT SLIDE	J	D:195MM P:165MM(BENCH)
R2J	WALK-IN SYSTEM	I	WITHOUT
R2S	SEAT BACK POCKET	I	WITHOUT
R4A	FRONT SEAT BELT	В	ELR3-2-3(BENCH)
J4K	WHEEL HOUSE COVER	I	WITHOUT
L2F	DOOR INSIDE HANDLE	В	DR 1, PA 1
N1B	ASSIST GRIP	В	FR 2
N2K	QUARTER TRIM	ı	WITHOUT
P1G	ASH TRAY	В	FR 1 (W/LAMP)
R1K	REAR HEADREST	1	WITHOUT
T1J	STARTER	D	R-2.5KW
E1K	4WD TRANSFER LEVER AND KNOB	С	4 POSITION
A5C	L.S.P.V. MARKING LABEL	ı	WITHOUT
A6J	FUEL CONSUMPTION PER. LABEL	i	WITHOUT
L7A	REAR COMBINATION LAMP	D	P/U STANDARD
L7E	REAR FOG LAMP	ı	WITHOUT
L8B	INSIDE REAR VIEW MIRROR	В	DAY&NIGHT(GENERAL)
J1L	OVER FENDER	ı	WITHOUT
N6K	INSTRUMENT PANEL UPPER TRAY	В	WITH
P1J	INSTRUMENT PANEL ASSIST GRIP	В	WITH
A2D	TOOL(FACTORY INSTALLATION)	В	OVERSEA BASIC SET
A3D	FLARE AND FLASHLIGHT	ı	WITHOUT
A4A	BLACK OUT	i	WITHOUT
A4B	BODY COLOR	В	MONOTONE
A5B	ENGINE SERVICE INFO. LABEL	C	DIESEL
A5F	EMISSION	ı	EURO2
A5M	FUEL CAUTION LABEL	ı	WITHOUT
A5R			
	IELIEL CONSLIMATION STICKER		
	FUEL CONSUMPTION STICKER SPECIAL NOISE INSULATOR	I	WITHOUT
B3D	SPECIAL NOISE INSULATOR	1	WITHOUT WITHOUT
B3D B3E	SPECIAL NOISE INSULATOR BODY RUST PROTECTION	I I F	WITHOUT WITHOUT AREA 2,3
B3D B3E B3F	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES	I I F	WITHOUT WITHOUT AREA 2,3 WITHOUT
B3D B3E B3F D1A	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE		WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ
B3D B3E B3F D1A D1B	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER	I I F I B B B	WITHOUT WITHOUT AREA 2,3 WITHOUT 1HZ 1HZ 3 STEP
B3D B3E B3F D1A D1B D2A	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR	I I F I B B H	WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5
B3D B3E B3F D1A D1B D2A D2D	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER	I I F I B B B H D D	WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP
B3D B3E B3F D1A D1B D2A D2D D2E	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING	I I I I I I I I I I I I I I I I I I I	WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP
B3D B3E B3F D1A D1B D2A D2D D2E D2F	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT	I I I I I I I I I I I I I I I I I I I	WITHOUT  WITHOUT  AREA 2,3  WITHOUT  1HZ  1HZ 3 STEP  514.4X560X48 FP=3.5  FOR 1HZ 5 STEP  470X8 10000CST 3STEP  76DEG(C)
B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL	I I I I I I I I I I I I I I I I I I I	WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT
B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER	I I I I I I I I I I I I I I I I I I I	WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT
B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER	I I I I I I I I I I I I I I I I I I I	WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ  1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT MAIN 23L ONLY
B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM	I I I I I I I I I I I I I I I I I I I	WITHOUT WITHOUT AREA 2,3 WITHOUT  1HZ 1HZ 3 STEP 514.4X560X48 FP=3.5 FOR 1HZ 5 STEP 470X8 10000CST 3STEP 76DEG(C) WITHOUT WITHOUT MAIN 23L ONLY WITHOUT
B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER	I I I I I I I I I I I I I I I I I I I	WITHOUT  WITHOUT  AREA 2,3  WITHOUT  1HZ  1HZ 3 STEP  514.4X560X48 FP=3.5  FOR 1HZ 5 STEP  470X8 10000CST 3STEP  76DEG(C)  WITHOUT  WITHOUT  MAIN 23L ONLY  WITHOUT  AUTO-CONTROL (QUICK-HEAT)
B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER MANUAL IDLING CONTROL	I I I I I I I I I I I I I I I I I I I	WITHOUT  AREA 2,3  WITHOUT  1HZ  1HZ 3 STEP  514.4X560X48 FP=3.5  FOR 1HZ 5 STEP  470X8 10000CST 3STEP  76DEG(C)  WITHOUT  WITHOUT  MAIN 23L ONLY  WITHOUT  AUTO-CONTROL (QUICK-HEAT)  WITH(DIAL TYPE)
B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4G	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER MANUAL IDLING CONTROL ACCELERATOR PEDAL	I I I I I I I I I I I I I I I I I I I	WITHOUT  AREA 2,3  WITHOUT  1HZ  1HZ 3 STEP  514.4X560X48 FP=3.5  FOR 1HZ 5 STEP  470X8 10000CST 3STEP  76DEG(C)  WITHOUT  WITHOUT  MAIN 23L ONLY  WITHOUT  AUTO-CONTROL (QUICK-HEAT)  WITH(DIAL TYPE)  CABLE TYPE
B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4K D4N	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER MANUAL IDLING CONTROL ACCELERATOR PEDAL CRUISE CONTROL	I I I I I I I I I I I I I I I I I I I	WITHOUT  WITHOUT  AREA 2,3  WITHOUT  1HZ  1HZ 3 STEP  514.4X560X48 FP=3.5  FOR 1HZ 5 STEP  470X8 10000CST 3STEP  76DEG(C)  WITHOUT  WITHOUT  MAIN 23L ONLY  WITHOUT  AUTO-CONTROL (QUICK-HEAT)  WITH(DIAL TYPE)  CABLE TYPE
B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4K D4N D4N	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER MANUAL IDLING CONTROL ACCELERATOR PEDAL CRUISE CONTROL OXYGEN SENSOR	I I I I I I I I I I I I I I I I I I I	WITHOUT  WITHOUT  AREA 2,3  WITHOUT  1HZ  1HZ 3 STEP  514.4X560X48 FP=3.5  FOR 1HZ 5 STEP  470X8 10000CST 3STEP  76DEG(C)  WITHOUT  WITHOUT  MAIN 23L ONLY  WITHOUT  AUTO-CONTROL (QUICK-HEAT)  WITH(DIAL TYPE)  CABLE TYPE  WITHOUT  WITHOUT  WITHOUT  WITHOUT
B3D B3E B3F D1A D1B D2A D2D D2E D2F D3E D3F D3K D4A D4C D4G D4K D4N	SPECIAL NOISE INSULATOR BODY RUST PROTECTION ANTI-PROJECTION MEASURES ENGINE CRANK PULLEY DAMPER RADIATOR ENGINE OIL COOLER FAN AND COUPLING THERMOSTAT EXHAUST EMISSION CONTROL CATALYTIC CONVERTER MUFFLER IGNITION SYSTEM GLOW PLUG AND INTAKE HEATER MANUAL IDLING CONTROL ACCELERATOR PEDAL CRUISE CONTROL	I I I I I I I I I I I I I I I I I I I	WITHOUT  WITHOUT  AREA 2,3  WITHOUT  1HZ  1HZ 3 STEP  514.4X560X48 FP=3.5  FOR 1HZ 5 STEP  470X8 10000CST 3STEP  76DEG(C)  WITHOUT  WITHOUT  MAIN 23L ONLY  WITHOUT  AUTO-CONTROL (QUICK-HEAT)  WITH(DIAL TYPE)  CABLE TYPE

D6D	FUEL SEDIMENTER	С	WITH (WITH BUZZER WARNING
D6E	FUEL INLET	В	W/O INTERFERENCE
D6K	EVAPORATIVE SYSTEM	I	WITHOUT
D6N	FUEL CUT SYSTEM	I	WITHOUT
D6R	FUEL COOLER	I	WITHOUT
E1A	TRANSMISSION	В	5M/T R151F
E1E	CLUTCH	В	11 INCHES
E1F	CLUTCH PEDAL	D	TURN OVER 28N W/O SW
E1H	CLUTCH ACCUMULATOR	С	WITH INDEPENDENCE
E1J	SHIFT LEVER AND KNOB	В	URETHANE
G1A	STEERING COLUMN	С	TILT+TELESCO+COLLAPSIBLE
G1C	POWER STEERING	В	WITH P.S
G2D	SHOCK ABSORBER	В	STANDARD
G3A	FRONT WHEEL BRAKE	В	S12+12(32V)
G3B	REAR WHEEL BRAKE	В	DRUM 295LT
G3E	BRAKE CONTROL VALVE	В	LSP&BV
G3F	BRAKE VACUUM PUMP	В	WITH
G3G	BRAKE M/CYLINDER AND BOOSTER	В	23.81MM 9 BOOSTER
G3J	VACUUM TANK	В	0.5L
J1A	FRAME	F	SUPER LONG
J1C	HOOD REST BLOCK	i i	WITHOUT
J1H	LUGGAGE AND BACK DOOR	<u> </u>	WITHOUT
J1W	ROLL BAR	i i	WITHOUT
J3C	SIDE GLASS	В	GREEN
J4B	E/G UNDER COVER AND PROTECTOR	В	WITH
J4N	TRANSFER PROTECTOR	В	WITH(SMALL TYPE)
J5A	FLOOR SILENCER	D	FR UNDER SEAT ONLY
J5B	HOOD SILENCER		WITHOUT
J5C	DASH SILENCER	В	INTERIOR
J7B	TRANSPORT HOOK	В	FR 2
J7C	DECK HOOK	ı	WITHOUT
K4A	WINDSHIELD MOULDING	i	WITHOUT
K6B	MODEL NAME MARK	В	LAND CRUISER
K6K	LOADING CAPACITY MARK	ı	WITHOUT
L2D	CHILD PROTECTOR	i i	WITHOUT
L2N	FUEL LID OPENER	i	WITHOUT
L2U	KEY PLATE	В	OUTER-GROOVE
L2V	KEY HOLDER	ı	WITHOUT
L4A	WINDSHIELD WIPER	В	FIXED
L4D	WIPER BLADE	В	STANDARD TYPE
L4F	WASHER TANK	E	STD 3.0L(1HZ,1VD,1GR)
L5A	ROOM LAMP	В	FR 1
L6A	HEADLAMP	В	2 HALOGEN
L6F	HEADLAMP CLEANER		WITHOUT
L6G	CLEARANCE LAMP	В	WITH HEAD LANP 1BODY
L6J	FRONT TURN SIGNAL LAMP	В	WITH HEAD LANP 1BODY
L6N	DAYTIME RUNNING LIGHT SYSTEM	I	WITHOUT
L7F	SIDE TURN SIGNAL LAMP	<u>'</u>	WITHOUT
L7F L7N	EMERGENCY STOP SIGNAL	<u> </u>	WITHOUT
L8C		<u>'</u>	
N1A	FRONT AND SIDE UNDER MIRROR ROOF HEAD LINING	D D	MITHOUT  MLD HEADLINING
N1A N2M	LUGGAGE DR AND BACK DR TRIM	ں ا	WITHOUT
		-	
N2P	FRONT PILLAR GARNISH	В	WITH(RESIN)
N2R N2T	CENTER PILLAR GARNISH ROOF SIDE INNER GARNISH	B I	WITH(RESIN) WITHOUT
		•	
N4G	FOOT REST	В	WITH
P1H	CIGARETTE LIGHTER	В	WITH (W/ILMNT)

P2B	FRONT CONSOLE BOX	1	WITHOUT
P3M	VENTILATION LOUVER(OUTLET)	В	WITH
R4H	CHILD RESTRAINT SYSTEM	I	WITHOUT
T1A	VOLTAGE	В	12V
T1F	ALTERNATOR	D	K3B-ME 80A
T2C	COMBINATION SWITCH	В	STANDARD TYPE
T3W	METER ILLUMINATION CONTROL	В	WITH
T5C	AIR CLEANER WARNING	I	WITHOUT
	SEAT NUMBERS	I	3
T5E	SEAT BELT WARNING	1	WITHOUT
T5F	SPEED WARNING	1	WITHOUT
T5G	BRAKE WARNING	С	PKB+LEVEL+VACUUM
T5J	DOOR AJAR WARNING	В	WITH(ALL DOOR)
T5K	LIGHT REMIND WARNING	В	WITH(BUZZER)
T5L	KEY REMIND WARNING	1	WITHOUT
T5M	ENGINE OIL LEVEL WARNING	1	WITHOUT
T5S	TIMING BELT MAINTENANCE WARN.	В	WITH
T5T	ENGINE MONITOR WARNING	I	WITHOUT
T5X	TIRE INFLATION PRESS. WARNING	I	WITHOUT
T7A	HORN	С	STANDARD (E MARK)

# US\$ 36.350,- / Euro 30.290,-

Model LC79 DOUBLE CABIN 4.2 LITRE DIESEL 6 CYLINDER 1HZ ENGINE

Katashiki HZJ79L-DKMRS

Model 2020

*	TIRE BRAND	Α		UNSPECIFIED
G2A	SUSPENSION	В		COIL/LEAF STANDARD
E2B	REAR DIFFERENTIAL	G		4.300 4P
G2K	FREE WHEEL HUB	1		WITHOUT
D3C	AIR CLEANER	С		CYCRON+SCHNORCKEL
L1A	TARPAULIN/HARD TOP	1		WITHOUT
J3A	WINDSHIELD GLASS	В		GREEN LAMINATED
N6F	DOOR POCKET	Ι		WITHOUT
K1C	REAR BUMPER	J	*	P/U PAINTED+STEP+LICENCE
A4C	BODY STRIPE	Ι		WITHOUT
L2B	POWER DOOR LOCK	В	*	WITH INTERLOCKED D SEAT
A2K	WINCH	I		WITHOUT
K6A	BRAND NAME MARK	1		WITHOUT
J3L	REAR GLASS	В		FIXED
D6L	AUXILIARY FUEL TANK	1		WITHOUT
D6F	FUEL TANK CAPACITY	Р		130L C TYPE ON FRAME
G4H	SPARE WHEEL COVER	1		WITHOUT
J1F	FRONT DOOR	В		FIXED W/O TRIANGLE WINDOW
P1F	GLOVE BOX	С		W/O KEY
L6K	FRONT FOG AND DRIVING LAMP	1		WITHOUT
B2B	GRADE PACKAGE	1		WITHOUT
T3A	SPEEDOMETER	В		LOW GRADE KM/H
T3M	CLOCK	В	*	WITH
T2B	WIRE HARNESS FOR TRAILER	-		WITHOUT
R1A	FRONT SEAT	С	*	SEPARATE SEAT WITH ARM REST IN MIDDLE
P3A	HEATER	С	*	FR(AL CORE 36MM)
R1B	REAR SEAT	В		FOR FRONT
N6A	CUP HOLDER	D		FR BOTL HOLDER

POWER WINDOW	В	*	WITH(D ONE TOUCH DOWN ONL
STEERING WHEEL	D		4 SPOKE URETHANE D390
REAR SEAT BELT	С		ELR 3-2-3
OUTSIDE REAR VIEW MIF	RROR C		DOOR D,P ROUND W, E MARK
WASHER FLUID	В		WITH
AUDIO(OVERSEAS MARK	(ET) W	*	AM/FM CD USB 2SP Y
COLD AREA PACKAGE	I		WITHOUT
ENGINE COOLANT	С		LLC 30%
EMISSION ID PLATE	N		DESTINATION EXCEPT JAPAN
EXPORT	Υ		ETHIOPIA
REAR WINDOW DEFOGG	ER I		WITHOUT
SEAT MATERIAL	В		VINYL LEATHER
TRANSFER	В		BF1B DIRECT
SIDE DEFROSTER	I		WITHOUT
WATER TEMPERATURE G	AUGE C	*	WIDE TYPE
TOWING HOOK	M	*	FR CLOSED B 1+RR PINTRE 1
REAR QUARTER GLASS			WITHOUT
INTERMITTENT WIPER	· ·		WITHOUT
REAR WINDOW WIPER	i		WITHOUT
ROOF RACK	<u>'</u>		WITHOUT
MUD GUARDS	В		STANDARD(FR ONLY)
TIRE AND DISC WHEEL	D		7.50R16-8(E) 5.50F
FIRE EXTINGUISHER		_	WITHOUT
	•	_	
HIGH ALTITUDE COMPEN		*	WITH
AIR CONDITIONER	В		WITH
SPARE WHEEL CARRIER	D		DECK FRONT
MODEL YEAR	<u> </u>		WITHOUT
OWNERS MANUAL	F	*	DUAL
HIGH MOUNT STOP LAM			WITHOUT
REGULATION COMPLIAN	CE LABEL E		GENERAL NAME PLATE
CKD PACKAGE	I		WITHOUT
BODY PROTECTION FILM	E		WRAP GUARD
HEADLAMP LEVELING	I		WITHOUT
BACK (OUTSIDE) BUZZER	l		WITHOUT
MODEL SYMBOL MARK	В	*	WITH
FUEL HEATER	1		WITHOUT
AIR BAG SYSTEM	В	*	WITH(D+P)
ABS	В	*	WITH (ACT DRY)
AIR-BAG CAUTION LABEL	. C	*	ENGLISH +FRENCH
ACCESSORY CONNECTOR	I		WITHOUT
WIRELESS DOOR LOCK	В	*	WITH
ANTENNA	В	*	WITH(MANUAL)
FRONT GRILLE	В		MATERIAL COLOR
BATTERY CAUTION LABER	_		WITHOUT
GRADE MARK	ı		WITHOUT
SUN VISOR	В		STANDARD
DOOR TRIM	В		FOR STD
FLOOR CARPET AND MAT			VINYL+SILENCER(FR+CTR+RR)
FRONT HEADREST	C		D+P LARGE VINYL
STABILIZER	В		FR ONLY
	С	+	
FRONT DIFFERENTIAL		*	4.300 2P
FRONT BUMPER	E		EXTENSION 136MM MOLDING
DISPLACEMENT MARK		*	WITHOUT
LICENSE PLATE LAMP	D	*	ON BUMPER
TRANSMISSION PROTECT			WITHOUT
1			MAZITHOLIT
ANTI-THEFT SYSTEM SIDE AND RR STEP			MITHOUT ALUMINUM

K4E	REAR WINDOW MOULDING	l i		without	
K4G	ROOF DRIP MOULDING	1		WITHOUT	
D6A	FUEL PUMP	В		VE STANDARD	
T3C	TACHOMETER	1		WITHOUT	
Т3К	VOLTAGE METER	В		WARNING LAMP	
T3L	OIL PRESSURE METER	В		WARNING LAMP	
N2D	DOOR ARM REST	E	*	FR+RR LARGE TYPE	
P2C	REAR CONSOLE BOX	В	*	WITHOUT	
R2A	FRONT SEAT SLIDE	F	*	D:195MM P:195MM(SEPARATE)	
R2J	WALK-IN SYSTEM	I		WITHOUT	
R2S	SEAT BACK POCKET	I		WITHOUT	
R4A	FRONT SEAT BELT	С	*	ELR3-3(SEPARATE)	
J4K	WHEEL HOUSE COVER	1		WITHOUT	
L2F	DOOR INSIDE HANDLE	D		DR 1, PA 1, RR 2	
N1B	ASSIST GRIP	D		FR 2+ RR 4	
N2K	QUARTER TRIM	Н		BOAD FOR DCAB	
P1G	ASH TRAY	С		FR 1(W/LAMP) + RR 2	
R1K	REAR HEADREST	С		2 LARGE(VINYL)	
T1J	STARTER	D		R-2.5KW	
E1K	4WD TRANSFER LEVER AND KNOB	С		4 POSITION	
A5C	L.S.P.V. MARKING LABEL	1		WITHOUT	
A6J	FUEL CONSUMPTION PER. LABEL	ı		WITHOUT	
L7A	REAR COMBINATION LAMP	D		P/U STANDARD	
L7E	REAR FOG LAMP	ı		WITHOUT	
L8B	INSIDE REAR VIEW MIRROR	В		DAY&NIGHT(GENERAL)	
J1L	OVER FENDER	ı		WITHOUT	
N6K	INSTRUMENT PANEL UPPER TRAY	В		WITH	
P1J	INSTRUMENT PANEL ASSIST GRIP	В		WITH	
A2D	TOOL(FACTORY INSTALLATION)	В		OVERSEA BASIC SET	
A3D	FLARE AND FLASHLIGHT	ı		WITHOUT	
A4A	BLACK OUT	1		WITHOUT	
A4B	BODY COLOR	В		MONOTONE	
A5B	ENGINE SERVICE INFO. LABEL	С		DIESEL	
A5F	EXHAUST	1		EURO2	
A5M	FUEL CAUTION LABEL	ı		WITHOUT	
A5R	FUEL CONSUMPTION STICKER	ı		WITHOUT	
B3D	SPECIAL NOISE INSULATOR	1		WITHOUT	
B3E	BODY RUST PROTECTION	F		AREA 2,3	
B3F	ANTI-PROJECTION MEASURES	ı		WITHOUT	
D1A	ENGINE	В		1HZ	
D1B	CRANK PULLEY DAMPER	В		1HZ 3 STEP	
D2A	RADIATOR	Н		514.4X560X48 FP=3.5	
D2D	ENGINE OIL COOLER	D		FOR 1HZ 5 STEP	
D2E	FAN AND COUPLING	E		470X8 10000CST 3STEP	
D2F	THERMOSTAT	В		76DEG(C)	
D3E	EXHAUST EMISSION CONTROL	1		WITHOUT	
D3F	CATALYTIC CONVERTER	ı		WITHOUT	
D3K	MUFFLER	В		MAIN 23L ONLY	
D4A	IGNITION SYSTEM	1		WITHOUT	
D4C	GLOW PLUG AND INTAKE HEATER	В		AUTO-CONTROL (QUICK-HEAT)	
D4G	MANUAL IDLING CONTROL	В		WITH(DIAL TYPE)	
D4K	ACCELERATOR PEDAL	В		CABLE TYPE	
D4N	CRUISE CONTROL	1		WITHOUT	
D4R	OXYGEN SENSOR	ı		WITHOUT	
D4T	POWER CONTROL SYSTEM	ı		WITHOUT	
D6B	FUEL FILTER	В		FOR DIESEL (1HZ)	
D6D	FUEL SEDIMENTER	C	1	WITH (WITH BUZZER WARNING	
			1	.,	

D6E	FUEL INLET	В	W/O INTERFERENCE
D6K	EVAPORATIVE SYSTEM	I	WITHOUT
D6N	FUEL CUT SYSTEM	I	WITHOUT
D6R	FUEL COOLER	I	WITHOUT
E1A	TRANSMISSION	В	5M/T R151F
E1E	CLUTCH	В	11 INCHES
E1F	CLUTCH PEDAL	D	TURN OVER 28N W/O SW
E1H	CLUTCH ACCUMULATOR	С	WITH INDEPENDENCE
E1J	SHIFT LEVER AND KNOB	В	URETHANE
G1A	STEERING COLUMN	С	TILT+TELESCO+COLLAPSIBLE
G1C	POWER STEERING	В	WITH P.S
G2D	SHOCK ABSORBER	В	STANDARD
G3A	FRONT WHEEL BRAKE	В	S12+12(32V)
G3B	REAR WHEEL BRAKE	В	DRUM 295LT
G3E	BRAKE CONTROL VALVE	В	LSP&BV
G3F	BRAKE VACUUM PUMP	В	WITH
G3G	BRAKE M/CYLINDER AND BOOSTER	В	23.81MM 9 BOOSTER
G3J	VACUUM TANK	В	0.5L
J1A	FRAME	G	SUPER LONG D CAB
J1C	HOOD REST BLOCK		WITHOUT
J1H	LUGGAGE AND BACK DOOR		WITHOUT
J1W	ROLL BAR	<u>·</u>	WITHOUT
J3C	SIDE GLASS	В	GREEN
J4B	E/G UNDER COVER AND PROTECTOR	В	WITH
J4N	TRANSFER PROTECTOR	В	WITH(SMALL TYPE)
J5A	FLOOR SILENCER	C	ALL FLOOR
J5B	HOOD SILENCER	ı	WITHOUT
J5C	DASH SILENCER	В	INTERIOR
J7B	TRANSPORT HOOK	В	FR 2
J7C	DECK HOOK		WITHOUT
K4A	WINDSHIELD MOULDING	<u>.</u> 	WITHOUT
К6В	MODEL NAME MARK	В	LAND CRUISER
K6K	LOADING CAPACITY MARK	<u>-</u>	WITHOUT
L2D	CHILD PROTECTOR	В	WITH (ONLY RR DOOR)
L2N	FUEL LID OPENER		WITHOUT
L2U	KEY PLATE	В	OUTER-GROOVE
L2V	KEY HOLDER	<u>-</u>	WITHOUT
L4A	WINDSHIELD WIPER	В	FIXED
L4D	WIPER BLADE	В	STANDARD TYPE
L4F	WASHER TANK	E	STD 3.0L(1HZ,1VD,1GR)
L5A	ROOM LAMP	В	FR 1
L6A	HEADLAMP	В	2 HALOGEN
L6F	HEADLAMP CLEANER		WITHOUT
L6G	CLEARANCE LAMP	В	WITH HEAD LANP 1BODY
L6J	FRONT TURN SIGNAL LAMP	В	WITH HEAD LANP 1BODY
L6N	DAYTIME RUNNING LIGHT SYSTEM		WITHOUT
L7F	SIDE TURN SIGNAL LAMP	<u>·</u>	WITHOUT
L7N	EMERGENCY STOP SIGNAL	<u>·</u>	WITHOUT
L8C	FRONT AND SIDE UNDER MIRROR	i	WITHOUT
N1A	ROOF HEAD LINING	 D	MLD HEADLINING
N2M	LUGGAGE DR AND BACK DR TRIM	ı	WITHOUT
N2P	FRONT PILLAR GARNISH	В	WITH(RESIN)
N2R	CENTER PILLAR GARNISH	В	WITH(RESIN)
N2T	ROOF SIDE INNER GARNISH	В	WITH(RESIN)
N4G	FOOT REST	В	WITH
P1H	CIGARETTE LIGHTER	В	WITH (W/ILMNT)
P2B	FRONT CONSOLE BOX	<u>B</u>	WITH (W/ILIVINT) WITH (ARM REST AND STORAGE COMPARTMENT)
. 20	SITT CONSOLE BOX	'	THE PARTY RESTAUD STOULDE COMITAINMENT)

P3M	VENTILATION LOUVER(OUTLET)	В	WITH
R4H	CHILD RESTRAINT SYSTEM	I	WITHOUT
T1A	VOLTAGE	В	12V
T1F	ALTERNATOR	D	K3B-ME 80A
T2C	COMBINATION SWITCH	В	STANDARD TYPE
T3W	METER ILLUMINATION CONTROL	В	WITH
T5C	AIR CLEANER WARNING	I	WITHOUT
	SEAT NUMBERS	1	5
T5E	SEAT BELT WARNING	1	WITHOUT
T5F	SPEED WARNING	1	WITHOUT
T5G	BRAKE WARNING	С	PKB+LEVEL+VACUUM
T5J	DOOR AJAR WARNING	В	WITH(ALL DOOR)
T5K	LIGHT REMIND WARNING	В	WITH(BUZZER)
T5L	KEY REMIND WARNING	1	WITHOUT
T5M	ENGINE OIL LEVEL WARNING	1	WITHOUT
T5S	TIMING BELT MAINTENANCE WARN.	В	WITH
T5T	ENGINE MONITOR WARNING	1	WITHOUT
T5X	TIRE INFLATION PRESS. WARNING	1	WITHOUT
T7A	HORN	С	STANDARD (E MARK)

US\$ 38.850,- / Euro 32.375,-

Nettopreise inkl. Verschiffung und Transportversicherung frei CIF Bremerhaven (Kurs: 1Euro=1,20USD